

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion

STATE ENGINEER SALEM, OREGON

State Well No. 1N/3W-19

State Permit No. G5496

(1) OWNER:

Name Sunset Grove Golf Club
Address Rte 2 Box 406 Forest Grove, ore.

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [ ] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

Threaded [ ] Welded [x]

8" Diam. from 0 ft. to 240 ft. Gage well

(6) PERFORATIONS:

Perforated? [x] Yes [ ] No.

Type of perforator used torch
Size of perforations 1/8 in. by 6 inch in.
270 perforations from 60 ft. to 240 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 25 ft. below land surface Date 4-13-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes [x] No [ ] If yes, by whom
Yield: gal./min. with ft. drawdown
Bailer test 175 gal./min. with 200 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite
Depth of seal 25 feet ft.
Diameter of well bore to bottom of seal 17 in. in.
Were any loose strata cemented off? [ ] Yes [x] No Depth
Was a drive shoe used? [ ] Yes [x] No
Did any strata contain unusable water? [ ] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [x] Yes [ ] No Size of gravel: 1/2" pea gravel
Gravel placed from 25 ft. to 240 ft.

(11) LOCATION OF WELL:

County Washington Driller's well number
1/4 1/4 Section 18-19. 1 N.R. 3 W W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8 inch

Depth drilled 360 ft. Depth of completed well 360 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top soil, Yellow clay(sandy), Blue sandy clay, Blue clay, Blue sand, small gravel, clay, and wood, Blue clay, Yellow sandy clay.

Work started 4-12-68 19 Completed 4-13-68 19

Date well drilling machine moved off of well 4-13-68 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ralph Turner Date 4-23, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 254

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Ralph Turner Drilling Co. (Person, firm or corporation) (Type or print)

Address Rte 1 Box 141, Hillsboro, Oregon

[Signed] Ralph Turner (Water Well Contractor)

Contractor's License No. 247 Date 4-23, 1968