NOTICE TO WATER WELL CONTRACTOR
The original and first copy 12 2 5 1364 WATER WELL REPORT
filed with the Grand STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

(Please type or print)



State	Well	No.	IN/3W-19

of well completion.	સાશેકા ફેઇફાઇફાઇ	1		State Fermi	t 140	****	
(1) OWNER: Name WM SOHL	ER	1	L TESTS:	Drawdown i lowered belo	ow static lev	'eī	is
Address R2, FOREST	GROVE	Yield:	gal./min. v		ft. drawdow		hrs.
10	Prof.	"	**		**		"
(A) T A COLUMN AND THE T		,,	"		. 39		11
(2) LOCATION OF WELL:	Bailer test	🖒 gal./min. v	vith 75	ft. drawdow	n after	hrs.	
County WASH Driller's well	Artesian flow g.p.m. Date						
¼ ¼ Section T.	// R. 3 W W.M.	Temperature o	f water NORW	as a chemica	l analysis m	ade? 🔲 Y	es 🔣 No
Bearing and distance from section or subdivisi	lon corner	(12) WEL	T TOC:			C.	,
		1 ' ' '	1220	ameter of we			
		Depth drilled		Depth of cor	· · · · · · · · · · · · · · · · · · ·		O ft.
		show thickness	scribe by color, of aquifiers and rated, with at lea	the kind and	nature of the	he materi	al in each
			MATERIA	AL.		FROM	то
TYPE OF WORK (check):	5016	<u> </u>			σ	3	
Well Deepening Recon	ditioning	CLAY YELLOW				۲	3.5
If abandonment, describe material and proced	CLAY	BLUE		274	2.5	53	
(4) PRODUCED TICE (check).	(5) TYPE OF WELL:	CLAY	GREV		7	272	75
(4) PROPOSED USE (check):	Rotary Driven	SAND	BROW	V FI	WE	75	80
Domestic Industrial Municipal	Cable Z Jetted 🗆	CLAY	RALLS	BROW		80	85
Irrigation	Dug 🗌 Bored 🗌	CLAY	VELLOW	and TP		85	105
(6) CASING INSTALLED: Three	aded 🗌 Welded 🗶	CLAY	GREY	SANI) V	105	140
6 "Diam. from ft, to	60 st. Gage 1252	CLAY	BROW	N		140	150
ft. to		CLAY	GREY	5147	y	150	155
ft. to		CLAY	NIXED	BROW	N-1310x	155	165
		SAND	BROKINZ	WATER	BEARING	165	170
(7) PERFORATIONS: Per	rforated? 🗌 Yes 🎤 No				3		. ,
Type of perforator used							
Size of perforations in. by	in.			· · · · · · · · · · · · · · · · · · ·			
perforations from							
perforations from		l ————					····
perforations from							
perforations from	- 4						
perforations from	it. to						
SCREENS: Well screen insta	alled? Yes No						
T, pe Mo	odel No						
Diam Slot size Set from	ft. to ft.	Wents stanted	1/0	10/11 0		7.	10/83
Diam Slot size Set from	Work started	ing machine mov		npleted	<u> </u>	1969 1966	
(A) GOYZERYZERZON		Date well drift	mg machine mov	ed off of well	2/	<i>5</i>	<u></u> 7
(9) CONSTRUCTION:	AA 0 (3 (C	(13) PUM	P :	0			
Well seal-Material used in seal Con		Manufacturer's	Name	Yaci 1			
Depth of seal ft. Was a	packer used?	Type:	Lul.	·····	н	.P 3 /	<u> </u>
Were any loose strata cemented off? ☐ Yes ↓	No Depth	Water Well C	Contractor's Cer	tification:			-
Was a drive shoe used? Yes No	أأخا المارية المارية		was drilled un est of my know			nd this	report is
	ize of gravel:	1	-				
Gravel placed from ft. to		NAME	FL/X (Person, firm	7 EV LI	4EM11	VCK.	************
Did any strata contain unusable water? Ye			(Person, firm				print)
Type of water? Depth of s	strata	Address A.A		u, LOK	18 5- 4/ 6	2	A.C
Method of sealing strata off		Drilling Mach	hine Operator's	License No.	17		*********
(10) WATER LEVELS:			4000	1 /	<i>y</i>	٠ ٨	<i>p</i>
Static level 25 ft. below land	surface Date 2/3/64	[Signed]	rexit.	(Water Well	Contractor)	well.	
	are inch Date	Contractoria	License No	7 Date		•	1064
	=	Volimation S. I	Trectise MO	Date.	.xxv.f955.F		., 19 /