## NOTICE TO WATER WELL CONTRACTOR

The original and first copy

filed with the

STATE ENGINEER, SALEM, OREGON 97310 WIGHT STATE of well completion 6423

WATER WELL REPORTS 10 1969

13w-32 ba

STATE OF OSEBONE ENGINEER Well No. //
(Please type or print)
(Do not write above this hate EM. OREGONAte Permit No.

G-4055

(1) OWNER:	(11) LOCATION OF WELL:	
Name EDWARD PORTER	County Washikaton Driller's well number	
Address A+2, By 126 FORESTGROVE ORE 6. 97116	14 14 Section T. R.  Bearing and distance from section or subdivision corner	W. <b>M</b>
(2) TYPE OF WORK (check):	1883.14 FEET 57437E FROM	CARNED
New Well R Deepening Reconditioning Abandon	OF SECTION 32, TNI R3W	
If abandonment, describe material and procedure in Item 12.	ap sail in the party of the par	¥1/X.I.1
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below cas	_
Rotary Driven Domestic Industrial Municipal		· /3 -/
Dug	Depth drilled 98 ft. Depth of completed well	
(5) CASING INSTALLED: Threaded   Welded   Welded	Formation: Describe color, texture, grain size and structure and show thickness and nature of each stratum and at with at least one entry for each change of formation. Refer in position of Static Water Level as drilling proceeds.	quifer penetrated, eport each change
" Diam. fromft. toft. Gage	MATERIAL From	To SWL
" Diam. from ft. to ft. Gage		
The property of the property o	BLUE CLAY 6	15-
PERFORATIONS: Perforated?   Yes   No.	BLUE CANDY CLAY 15	40
Type of perforator used CUT WITH TORCH	LIGHT BLUE CLAN GO	63
Size of perforations 5/1/2 in. by in.	PEA GRAVEL + CLAV 23	90
perforations from 30 ft. to 98 ft.	GRAVEH-ROCK -SANDVANTE 90	98
perforations from ft. to ft.		
perforations fromft. toft.		
perforations fromft. toft		
	-	
(7) SCREENS: Well screen installed?   Yes No		. ,
Manufacturer's Name		
Type Model No.	= .	
Diam. Slot size Set from the ft.		
Diam. Slot size Set from ft. to ft.		3
(8) WATER LEVEL: Completed well.		
Static level 8 ft. below land surface Date 544 67	·	
Artesian pressure lbs. per square inch Date		•
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		
gal./min. with 3H ft. drawdown after 2 hrs.	Work started Class 19 67Completed S	april 1967
" " "	Date well drilling machine moved off of well	UF 1967
" " " "	Drilling Machine Operator's Certification:	*
Pailor toot	This well was constructed under my direct sup	ervision. Mate-
And the second s	rials used and information reported above are to knowledge and belief.	rue to my best
		6 8 19 69
Temperature of water 49° Was a chemical analysis made? ☐ Yes 🕱 No	[Signed] Date (Drilling Machine Operator)	2 8 , 19 6 g
(10) CONSTRUCTION:	Drilling Machine Operator's License No	
Well seal-Material used BENTONITE		WITTER COLUMN TALL CALL NAME OF THE COLUMN TARES.
Depth of seal ft.	Water Well Contractor's Certification:	
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction an true to the best of my knowledge and belief.	d this report is
Were any loose strata cemented off? Yes No Depth	NAME	
Was a drive shoe used? ☐ Yes ☒ No	(Person, firm or corporation) (Type	e or print)
Did any strata contain unusable water?  Yes No	Address Me and own our	n works
Type of water? depth of strata		
Method of sealing strata off	[Signed]	***************************************
Was well gravel packed? No Size of gravel: 4.4. 1.55	(water wen Contractor)	•
Gravel placed from ft. to ft.	Contractor's License No Date	19