The original and first copy of this report are or this report are filed with the STATE ENGINEER, SALEM, OF SON 97310, within 30 days from the date of well completion. TATE OF OREGON (Do not write ÆR WELL REPORT WASH State Well No. 11/41/2 (Do not write above this line) (1) OWNER: (11) LOCATION OF WELL: Merle S. Vandewettering Name County Washington Driller's well number Box 389 1 N T. Forest Grove, Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening | Reconditioning [Abandon 🗆 If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Rotary Driven [Diameter of well below casing . Domestic T Industrial Municipal Jetted 🔲 Depth drilled 307 ft. Depth of completed well 307 Bored [Irrigation | Test Well | Other Formation: Describe color, texture, grain size and structure of materials; (5) CASING INSTALLED: and show thickness and nature of each stratum and aquifer penetrated, Threaded [Welded A 6 Diam. from 0 ft. to 216 ft. Gage Std. with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates. ______ ft. to ______ MATERIAL Top soil 0 PERFORATIONS: clay - brown 15 20 Perforated? | Yes X KNo. clay - red - sticky 20 85 85 Type of perforator used brown 120 Size of perforations in. by 120 180 blue perforations from _____ ft. to ____ ft. 180 190 brown perforations from _____ ft. to _____ ft. and rock 190 214 perforations from _____ ft. to ____ ft. 214 230 rock - gray - hard perforations from _____ ft. to _____ ft. 230 250 black- soft perforations from ft. to ft. casing set in rock 2 ft 270 250 (7) SCREENS: rock - black - hard Well screen installed? Tyes K No 270 rock - brown - soft 280 Manufacturer's Name 280 295 rock - brown - hard 295 <u>301</u> 301 <u>302</u> rock - black - hard Diam. Slot size Set from ft. to ft. rock - black - soft Diam. Slot size Set from ft. to ft. 302 307 rock - black - hard (8) WATER LEVEL: Completed well. ft. below land surface Date 8/5/69 Artesian pressure lbs. per square inch Date Drawdown is amount water level is lowered below static level (9) WELL TESTS: Was a pump test made? [Yes [No If yes, by whom? 1969 Work started July 21 1969 Completed Aug 6 gal./min. with ft. drawdown after Date well drilling machine moved off of well Aug 12 Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best Bailer test 20 gal./min. with 180tt. drawdown after Artesian flow knowledge and belief. g.p.m. Date Date 9/6/, 1969 Temperature of water Was a chemical analysis made? ☐ Yes ☐ No (10) CONSTRUCTION: betonite Drilling Machine Operator's License No. 2/9 Well seal—Material used Depth of seal Water Well Contractor's Certification: Diameter of well bore to bottom of seal This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Were any loose strata cemented off? 🗌 Yes 🔼 No 🛮 Depth NAME Barron & Strayer Was a drive shoe used? 🛛 Yes 🔲 No (Person, firm or corporation) (Type or print) Did any strata contain unusable water? Yes 1 No Box, 254, Beaverton, Ore. 97005 Type of water? depth of strata

Contractor's License No. 35 Date Sept 5 19 69

Method of sealing strata off

Gravel placed from

Was well gravel packed? ☐ Yes XNo Size of gravel: