NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

WATER WELL REPORT FOR INEER

STATE OF OREGON
(Please type or print)

State Permit No.

		State Fermit No	***************************************	
(1) OWNER: Name Mr + Mrs. M. J. CLINTON		(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made?  Yes No If yes, by whom?		
Address TILL a Mook, Oregon		Yield: / O O gal./min. with /40 ft. drawdown	n after	7 <u>′</u> hrs.
	<u></u>			
(2) LOCATION OF WELL:		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
County Wash Driller's well number		Bailer test gal./min. with ft. drawdow	n after	hrs.
	IN R. 4W W.M.	Artesian flow g.p.m. Date -	- 14	
Bearing and distance from section or subdivis		Temperature of water Was a chemical analysis n	nade? 🔲 3	Yes X No
		(12) WELL LOG: Diameter of well below condepth drilled ft. Depth of completed well below to	asing	011
				7 ft.
		Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each ci	he materi hange of	al in each formation.
		MATERIAL	FROM	TO
(3) TYPE OF WORK (check):  New Well ☑ Deepening □ Reconditioning □ Abandon □		TOP SOIL	0	1.5
		YOLLOW CLAY	1:5	_//
andonment, describe material and proced	ure in Item 12.	- BlueClay	_//	26
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	- Fine blue Sand	26	37
	Rotary Driven	red CLZY	37	97
Domestic S Industrial Municipal	Cable 🛛 Jetted 🗌	- FINE Brown CLBY	97	187
Irrigation 🖫 Test Well 🗌 Other 🖂	Dug Bored	Coarse Sandy Wood	187	191
(6) CASING INSTALLED: Thr	readed   Welded	Fine brown Chay	191	361
10 "Diam from + 1 ft to 418 ft. Gage 1279		wood + Fine Sorty Chay	361	365
" Diam, from ft. to ft. Gage		Consolidated wethered		
"Diam from ft. to ft. Gage ft.		h asalt	365	413
It. Gage		blue basalt	4/3	460
(7) PERFORATIONS: Performed of perforator used	forated? 🗌 Yes 🔀 No	- black porous basau	-460	474
Size of perforations in. by	in.			
perforations from	ft. to ft.			
perforations from				
perforations from				
perforations from	ft. to ft.			
perforations from	ft. to ft.			
	stalled Yes No			
Manufacturer's Name				
Moo		•		
Slot size Set from ft. to ft.		Work started OCT 27 1966 Completed FP	b 14	1967
Diam. Slot size Set from ft. to ft.		Date well drilling machine moved off of well Fe. b	15	19 67
(9) CONSTRUCTION:		(13) PUMP:		
Well seal—Material used in seal Bentonite		Manufacturer's Name		
Depth of seal 36 ft. Was a packer used? ND		Type:HP.		
Diameter of well bore to bottom of sealin.				
Were any loose strata cemented off? 🗌 Yes 🛚 🔀	No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? ⊠ Yes □ No		This well was drilled under my jurisdiction a	nd this 1	report is
Was well gravel packed? ☐ Yes 🔀 No Size		true to the best of my knowledge and belief.		
Gravel placed from ft. to ft.		NAME GLenn firm or corporation (Type or print)		
Did any strata contain unusable water? ☐ Yes 🕱 No		(Person, firm or corporation) (Type or print)		
Type of water? Depth of strata		Address 448 E, BaseLine	***************************************	
Method of sealing strate off		Drilling Machine Oneseter's Linear No.		
(10) WATER LEVELS:		Drilling Machine Operator's License No. 22		
static level ft. below land surface Date		[Signed] Llenn Harty		
Artesian pressure /2 Ibs. per square inch Date 2//5/67		(Water Well Contractor)		, , , 45
ios, per squa	- mon Date 2/13/6/	Contractor's License No. 168 Date Ma	rCh 14	t 196.(