

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

WASH  
7658

**WATER WELL REPORT**

STATE OF OREGON

(Please type or print) STATE ENGINEER

(Do not write above this line) SALEM, OREGON

**RECEIVED**

AUG 28 1973

State Well No.

2N/3W-30

State Permit No.

dd

**(1) OWNER:**

Name Union Point Cemetery  
Address BANKS Oregon

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**(5) CASING INSTALLED:**

Threaded  Welded   
6" Diam. from 0 ft. to 134 ft. Gage 1/4  
" Diam. from " ft. to " ft. Gage  
" Diam. from " ft. to " ft. Gage

**(6) PERFORATIONS:**

Perforated?  Yes  No.

Type of perforator used

Size of perforations in. by in.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.

**(7) SCREENS:**

Well screen installed?  Yes  No

Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from " ft. to " ft.  
Diam. Slot size Set from " ft. to " ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom?  
Yield: gal./min. with " ft. drawdown after " hrs.  
" " " " " "  
" " " " " "  
Bailer test 40 gal./min. with 120 ft. drawdown after 1 hrs.  
Artesian flow g.p.m.  
Temperature of water 54 Depth artesian flow encountered " ft.

**(9) CONSTRUCTION:**

Well seal—Material used Cement  
Well sealed from land surface to 134 ft.  
Diameter of well bore to bottom of seal 10 in.  
Diameter of well bore below seal 6 in. 25"  
Number of sacks of cement used in well seal 25 sacks  
Number of sacks of bentonite used in well seal " sacks  
Brand name of bentonite  
Number of pounds of bentonite per 100 gallons  
of water " lbs./100 gals.  
Was a drive shoe used?  Yes  No Plugs " Size: location " ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel:  
Gravel placed from " ft. to " ft.

**(10) LOCATION OF WELL:**

County WASHINGTON Driller's well number  
SE 1/4 SE 1/4 Section 30 T. 2N R. 3W W.M.  
Bearing and distance from section or subdivision corner

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 180 ft.  
Static level 80 ft. below land surface. Date 8-23-73  
Artesian pressure lbs. per square inch. Date

**(12) WELL LOG:**

Diameter of well below casing 6

Depth drilled 323 ft. Depth of completed well 323 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	2	
BROWN CLAY	2	15	
Red CLAY	15	25	
BROWN CLAY	25	125	
HARD ROCK	125	140	
ROCK	140	280	
HARD ROCK	280	323	

Work started 8-20 1973 Completed 8-23 1973  
Date well drilling machine moved off of well 8-23 1973

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Cyril Vandenberg Date 8-25, 1973  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 403

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name CYRIL VANDENBERG  
(Person, firm or corporation) (Type or print)

Address Rt. 2 Box 262 Forest Grove Ore

[Signed] Cyril Vandenberg  
(Water Well Contractor)

Contractor's License No. 353 Date 8-25, 1973