STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by OPS 537 765 & OAR 690-205-0210)

WASH 78926

WELL I.D. LABEL# L 137237

START CARD # 1047933

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	7/14/2020 ORIGINAL LOG #
(1) LAND OWNER Owner Well I.D.	
First Name MARVIN Last Name DECKER	(9) LOCATION OF WELL (legal description)
Company DECKER FARMS	- County Washington Twp 1.00 S N/S Range 2.00 W E/W WN
Address 12635 SW RIVER RD	Sec <u>35 SE 1/4 of the SW 1/4 Tax Lot 802</u>
City HILLSBORO State OR Zip 97123 (2) TYPE OF WORK New Well Deepening Conversi	Tax Man Number
	DMS or DD
Alteration (complete 2a & 10) Abandonment(comp	tete 5a) Long or -122.90281302 DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
Casing:	21895 NW TILE FLAT RD BEAVERTON, OR 97007
Material From To Amt sacks/lbs	
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration
Reverse Rotary Other	Completed Well 7/8/2020 14
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	
Depth of Completed Well 354.00 ft. BORE HOLE SEAL	7/8/2020 264 354 200 14
Dia From To Material From To Amt	sacks/ lbs
12 0 20 Cement 0 58 52	S
10 20 58 Calculated 11.57	
8 58 354	(11) WELL LOG Ground Flavotion
Calculated	Ground Elevation
How was seal placed: Method A B C D E	Material From To SOFT BROWN CLAY 0 22
Other ft. to ft. Material	SOFT BROWN CLAY
Filter pack from ft. to ft. Material Size	GRAY BROWN BASALT 41 49
	GRAY BLACK BASALT 49 119
Explosives used: Yes Type Amount	GRAY BROWN BASALT 119 130
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	GRAY BASALT W GRAY BROWN SEAMS 130 242
Proposed Amount Actual Amount	GRAY BROWN - BROWN WEATHERED BASAL 242 264 GRAY-GRAY BROWN FRAC BASALT 264 354
(6) CASING/LINER	
Casing Liner Dia + From To Gauge Stl Plstc Wlo	Thrd
● 0 8 X 1 58 .250 ● ○ X	
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From + To	
(7) PERFORATIONS/SCREENS	_
Perforations Method	
Screens Type Material	Date Started6/30/2020 Completed 7/8/2020
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/
Screen Liner Dia From To width length slots pi	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply wel
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 1492 Date 7/13/2020
(8) WELL TESTS: Minimum testing time is 1 hour	Cinnel
Pump Bailer • Air Flowing Artes	Signed MELVIN BIGSBY (E-filed)
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
350 354 1	I accept responsibility for the construction, deepening, alteration, or abandonment
275 226 1	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply we
Temperature 56 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
	pm License Number 2023 Date 7/13/2020
From To Description Amount U	Signed MICHAEL APPLEBEE (E-filed)
	Contact Info (optional) ALPINE RESOURCES LLC 503-647-2969
	Contact Into (optional) The trib reported blic 303 off 2707