## The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

1965

## WATER WELL REPORT

## STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Permit No.

(1) OWNER: Name Jess Fulkerson	(10) LOCATION OF WELL:	
U. a Pilian A and	County Hash Driller's well number	
Beaverton Ore 97005	MW 14 MW 14 Section 15 T. ZM R. HW	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	<u> </u>
New Well   Deepening □ Reconditioning □ Abandon □	*	,n =
If abandonment, describe material and procedure in Item 12.		
	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found / 30	ft.
Cable	Static level 55 ft. below land surface. Date	21-79
Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date	
(5) CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well below casing Depth drilled / 45 ft. Depth of completed well / 45	ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of ma	terials;
(c) DEDECOR A MYONG	and show thickness and nature of each stratum and aquifer pene with at least one entry for each change of formation. Report each cha	ange in
(6) PERFORATIONS: Perforated? ☐ Yes ☑ No.	position of Static Water Level and indicate principal water-bearing	strata.
Type of perforator used		swL
Size of perforations in. by in.	Brn soil 0 2	
perforations from ft. to ft.	lan clay 2 8	
perforations from ft. to ft.	Gray Clay 8 30	
perforations from ft. to ft.	Alue Claystone 30 90	
(7) SCREENS: Well screen installed?  Yes Mo	Blue Claystone - hard - 90 130 Blue Clayston - Fractured 130 145	5.5
Manufacturer's Name	mus Cargaror Tractures 130 173	00
Type Model No.	, was a second of the second o	
Diam Slot size Set from ft. to ft.		<u> </u>
Diam Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	CED 1 1979 12 4 %	
d: gal./min. with ft. drawdown after hrs.	ULI Z IVI	
" " "	WATER RESOURCES DEPT	
и и и	SALEM, OREGON	
Baller test 40 gal./min. with 30 ft. drawdown after / hrs.		
sian flow g.p.m.		
Temperature of water 55 Depth artesian flow encountered	Work started 8-21 1979 Completed 8-21	1979
(9) CONSTRUCTION:		19 79
Well sealed from land surface to	Drilling Machine Operator's Certification:  This well was constructed under my direct supervi	sion.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true t best knowledge and belief.	o my
Diameter of well bore below seal	[Signed] Loseph Trussell Date 8-21	1079
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	ـــــــــــــــــــــــــــــــــــــ
How was cement grout placed?	Drilling Machine Operator's License No.	<del></del> .
- Junped	Water Wall Contractor's Contistantion	-
	Water Well Contractor's Certification:	+
Week address the second of the	This well was drilled under my jurisdiction and this rep true to the best of my knowledge and belief	ort 18
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Trussell Well Wrilling	
Did any strata contain unusable water?   Yes No	(Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address Box 336 Banks On 971	26
Method of sealing strata off	[Signed] Joseph Trusself	
Was well gravel packed?   Yes No Size of gravel:	(Water Well Contractor)	
Gravel placed from ft. to ft.	Contractor's License No. 211 Date 8-21	19.79