STATE OF OREGON	WASH	80971	CTADE CADD #	300000000000000000000000000000000000000
WATER SUPPLY WELL REPORT	1 /5 /3	0022	START CARD #	1059687
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	1/5/2	2023	ORIGINAL LOG#	WASH 6554
1) LAND OWNER Owner Well I.D.				
First Name Last Name Company WILLAMETTE VALLEY VINEYARDS			ΓΙΟΝ OF WELL (legal d	
Address 8800 ENCHANTED WAY SE				/S Range_4.00 W E/W W
City TURNER State OR Zip 97392		Sec <u>3</u>	SE 1/4 of the NW	1/4 Tax Lot <u>900</u>
City TURNER State OR Zip 97392  2) TYPE OF WORK New Well Deepening Conv	version	Tax Map Num	ber " or 45.60033100" or -123.171256	Lot
Alteration (complete 2a & 10) Abandonment(complete 2a & 10)		Lat°	' or _45.60033100	DMS or DD
2a) PRE-ALTERATION	<u></u>	Long°	or <u>-123.171256</u>	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd Casing:			treet address of well Ne	
		10850 NW SI	EAVEY ROAD FOREST GROV	E, OR 97116
Material From To Amt sacks/lbs Seal:				
3) DRILL METHOD		(10) STAT	IC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud			Date	SWL(psi) + SWL(ft)
Reverse Rotary Other			Well / Pre-Alteration	
		Complete	Flowing Artesian?	Dry Hole?
4) PROPOSED USE Domestic Irrigation Community			<del></del>	<del></del>
Industrial/ Commercial Livestock Dewatering		WATER BEAF	-	ter was first found
Thermal Injection Other		SWL Date	From To Est	Flow SWL(psi) + SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard (	(Attach copy)			
Depth of Completed Well <u>0.00</u> ft.				
BORE HOLE SEAL	sacks/			
Dia From To Material From To A	Amt lbs			
Calculated		L		
		(14) 11/01 1	100	
Calculated		(11) WELL	Ground Elevation	
	E		Material	From To
Other				
Backfill placed from ft. to ft. Material				
Filter pack from ft. to ft. Material Size				
Explosives used: Yes Type Amount				
5a) ABANDONMENT USING UNHYDRATED BENTONI	ITE			
Proposed Amount Actual Amount				
6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc	Wld Thrd			
	HHI			
	HHI			
	HHI			
	ΠП			
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes Dia From + To				
7) PERFORATIONS/SCREENS				
Perforations Method				
Screens Type Material		Date Started	d <u>1/3/2023</u> Com	pleted <u>1/4/2023</u>
Perf/ Casing/ Screen Scrn/slot Slot # of	10	(unbonded) V	Water Well Constructor Certifi	
Screen Liner Dia From To width length slots	s pipe size	. ,		onstruction, deepening, alteration, o
				e with Oregon water supply well
				formation reported above are true t
			knowledge and belief.	
		License Numb	per 806 Da	ate 1/5/2023
8) WELL TESTS: Minimum testing time is 1 hour		Signed DA	VID DONNELLY (E £1-1)	
Pump Bailer Air Flowing A	Artesian	DA	VID DONNELLY (E-filed)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (	(hr)	(bonded) Wat	ter Well Constructor Certificat	ion
				eepening, alteration, or abandonme
	——————————————————————————————————————			exists Oregon water supply we
				te with Oregon water supply we best of my knowledge and belief.
Temperature 52 °F Lab analysis Yes By TPS amount 120				
Water quality concerns? Yes (describe below) TDS amount 120 From To Description Amount	Units Ppm	License Numb	1483 Da	ate 1/5/2023
		Signed JOH	IN STADELI (E-filed)	
	<u> </u>		optional)	
		,	· · · · · · · · · · · · · · · · · · ·	

Amended 7/10/2023

(8) WELL TESTS: Minimum testing time is 1 hour

Drawdown

Yield gal/min

Drill stem/Pump depth

Duration (hr)

		Page 2 of .
WELL I.D. LABEL# L	47310	
START CARD #	1059687	
ORIGINAL LOG#		

From	То	Description	Amount	Units

#### (10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
					$\perp$	
					$\vdash$	
					$\vdash$	
					$\vdash$	
					$\vdash$	
					$\vdash$	$\vdash$
					$\vdash$	

#### (11) WELL LOG

Material	From	To
		_
		_
		_

#### Comments/Remarks

8" casing perforated w/4 rows from 0'to 122'7" 2400 1/8" x 1.5" perfs. Borehole backfilled with pea gravel up to 280'. Backfilled w/3/4 minus from 280' up to 220'. 65 94/lb. sacks of neet cement w/4% bent pumped through 1.25" tremie from 220' up to ground surface.

#### WASH 80971

#### 1/5/2023

## Map of Hole

# STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

### Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.60033100 Datum: WGS84

Longitude: -123.17125600

Township/Range/Section/Quarter-Quarter Section:

WM1.00N4.00W3SENW

Address of Well:

10850 NW SEAVEY ROAD FOREST GROVE, OR 97116

Well Label: 47310

Printed: January 5, 2023

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

