
					Page 1 of 3
STATE OF OREGON	WASH	80972	WELL I.D. LABEL# L ₁₄	47395	
WATER SUPPLY WELL REPORT			START CARD # 10	059624	
	1/5/2	2023	ORIGINAL LOG #		
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D.	1,0,1				
First Name Last Name		(9) LOCAT	ION OF WELL (legal deso	cription)	
Company WILLAMETTE VALLEY VINEYARDS		County WASHIN	IGTON Twp 1.00 N N/S	Range 4.00	W E/W WM
Address 8800 ENCHANTED WAY SE			$\frac{1}{4} \text{ of the } \frac{1}{4} \text{ of the } \frac{1}{4}$		
City TURNER State OR Zip 97392					
(2) TYPE OF WORK New Well Deepening Conve	ersion		er " or _45.60026400		DMS or DD
Alteration (complete 2a & 10) Abandonment(con	mplete 5a)	Lat	" or <u>45.60026400</u> " or <u>-123.17123400</u>		_ DMS or DD
(2a) PRE-ALTERATION	1				DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd		Str	eet address of well ONeares	st address	
Casing:		10850 NW SEA	AVEY ROAD FOREST GROVE, O	OR 97116	
Material From To Amt sacks/lbs					
Seal:		-			
(3) DRILL METHOD		(10) STATIO	C WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud			Date	SWL(psi) +	SWL(ft)
Reverse Rotary Other			ell / Pre-Alteration		
		Completed			147
(4) PROPOSED USE Domestic Irrigation Community			Flowing Artesian?	Dry Hole?	
Industrial/Commericial Livestock Dewatering		WATER BEARI	NG ZONES Depth water	was first found	170.00
Thermal Injection X Other <u>WINE TASTING ROOM</u>			-		
Infection Other WINE TASTING ROOM	_	SWL Date	From To Est Flo	ow SWL(psi)	+ $SWL(ft)$
(5) BORE HOLE CONSTRUCTION Special Standard (A	ttach copy)	12/27/2022	170 180 5		122
Depth of Completed Well 540.00 ft.		12/27/2022	220 320 10		147
BORE HOLE SEAL	sacks/				
Dia From To Material From To A		12/28/2022	450 465 15		147
	$\frac{11}{1}$ S	12/29/2022	500 540 1		147
	.23				
	70 S				
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		(11) WELL I	LOG Ground Elevation		
	E		Material	From	То
Nother BENT POURED-PROBED-HYE	E	reddish brwn cla		0	
			2	25	25
Backfill placed from ft. to ft. Material		clay brwn & tan		80	80
Filter pack from ft. to ft. MaterialSize _		sandstone brwn	solt		85
Explosives used: Yes Type Amount		clay brwn soft		85	105
		conglomerate	0	105	120
(5a) ABANDONMENT USING UNHYDRATED BENTONIT	LE	basalt gray & ta		120	140
Proposed Amount Actual Amount			rs med well fract	140	188
(6) CASING/LINER		basalt dark gray		188	210
Casing Liner Dia + From To Gauge Stl Plstc V	Wld Thrd		med-hrd w/fract	210	340
 ● ●	X	basalt dark gray		340	350
	XX		med w/fract red seams	350	400
		basalt dark gray		400	450
		basalt dark gray		450	465
		basalt blk med-l		465	500
Shoe Inside Outside Other Location of shoe(s) 200		basalt blk & dar	k gray w/occ fract	500	540
)				
Temp casing Yes Dia $_{10}$ From $+$ 0 To $_{6}$					
(7) PERFORATIONS/SCREENS					
Perforations Method					
Screens Type slotted Material PVC		Date Started	12/27/2022 Comple	ted <u>12/30/2022</u>	
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/	Date Started	comple	12/30/2022	·
Screen Liner Dia From To width length slots	pipe size	(unbonded) W	ater Well Constructor Certificati	ion	
Screen Liner 4.5 500 540 .032	4.5	I certify that th	e work I performed on the constr	ruction, deepeni	ng, alteration, or
			of this well is in compliance w		
			indards. Materials used and inform		
		the best of my k	mowledge and belief.		
		License Numbe	r 2005 Date	1/5/2023	
			2005	1/3/2023	
(8) WELL TESTS: Minimum testing time is 1 hour		Signed MIC	HAEL ALLENDORFER (E-filed)		
\bigcirc Pump \bigcirc Bailer \bigcirc Air \bigcirc Flowing Ai	rtesian	witch	HAEL ALLENDORFER (E-med)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	r)	(bonded) Wate	r Well Constructor Certification		
26 538 1		L accept respon	sibility for the construction, deep	ening alteration	or abandonment
			on this well during the construction		
			ng this time is in compliance v		
Temperature <u>52</u> °F Lab analysis Yes By construction standards. This report is true to the best of my knowledge a			0		
Water quality concerns? Yes (describe below) TDS amount <u>120</u> ppm From To Description Amount Units License Number <u>1483</u> Date <u>1/5/2023</u>					
Tiom 10 Description Allount	Units	Signed tor-			
			N STADELI (E-filed)	122	
		Contact Info (or	otional) Arrow Drilling 503-538-44	422	

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: New exempt use wells must be submitted with a map and recording fee.

WATER SUPPLY WELL REPORT -

continuation page



WASH 80972

WELL I.D. LABEL# L 147395 START CARD # 1059624 **ORIGINAL LOG #**

Water Quality Concerns

From	То	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
					_	

(11) WELL LOG

Material	From	То

Comments/Remarks

5" x 4.5" pvc reducer on top of liner

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow WASH 80972

1/5/2023

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL Latitude: 45.60026400

Latitude: 45.60026400 Datum: WGS84 Longitude: -123.17123400 Township/Range/Section/Quarter-Quarter Section: WM1.00N4.00W3SENW Address of Well: 10850 NW SEAVEY ROAD FOREST GROVE, OR 97116

Oregon Water Resources Department 725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 147395 Printed: January 5, 2023

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

