

STATE OF OREGON WATER SUPPLY WELL REPORT

WASH 81321

WELL I.D. LABEL# L

START CARD #

ORIGINAL LOG #

1070393

WASHINGTON 12203

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

7/19/2023

(1) LAND OWNER

Owner Well I.D. POD 1

First Name SUVI Last Name WESA
Company SCHNITZER PROPERTIES, LLC/TONQUIN COMMERCE CENTER
Address 1121 SW SALMON STREET, SUITE 500
City PORTLAND State OR Zip 97205

(2) TYPE OF WORK

New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Table with columns: Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd. Row 1: 6, 0, 73, .250, [X], [], [], [].

(3) DRILL METHOD

[X] Rotary Air [] Rotary Mud [] Cable [] Auger [] Cable Mud
[] Reverse Rotary [] Other

(4) PROPOSED USE

[] Domestic [X] Irrigation [] Community
[] Industrial/ Commercial [] Livestock [] Dewatering
[] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)

Depth of Completed Well 0.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Row 1: 6, 0, 410, Cement w/5% Bentonite, 0, 410, 71, S.

Seal placement method [] A [] B [] C [] D [] E [X] Other: PUMPED @410'

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 7/13/2023 Begin Time 13 30

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd. Row 1: [X], [X], 6, 0, 73, .125, 1, 1008.

Shoe [] Inside [] Outside [] Other Location of shoe(s)

Temp casing [] Yes Dia From + To

(7) PERFORATIONS/SCREENS

Perforations Method Air Perforator

Screens Type Material

Table with columns: Perf, Casing/Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size. Row 1: Perf, Casing, 6, 0, 73, .125, 1, 1008.

(8) WELL TESTS: Minimum testing time is 1 hour

[] Pump [] Bailer [] Air [] Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Table with 4 columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). All cells empty.

Temperature 65 °F Lab analysis [] Yes By

Water quality concerns? [] Yes (describe below) TDS amount 83 ppm

Table with columns: From, To, Description, Amount, Units. All cells empty.

(9) LOCATION OF WELL (legal description)

County WASHINGTON Twp 2.00 S N/S Range 1.00 W E/W WM

Sec 34 SE 1/4 of the SE 1/4 Tax Lot 100

Tax Map Number 2S134DD Lot

Lat " or 45.34910800 DMS or DD

Long " or -122.78572900 DMS or DD

[] Street address of well [X] Nearest address

NEAR 10795 SW TONQUIN RD, SHERWOOD, OREGON

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Row 1: Completed Well, 7/13/2023, 115.

Flowing Artesian? [] Dry Hole? []

WATER BEARING ZONES

Depth water was first found

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with 6 columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). All cells empty.

(11) WELL LOG

Ground Elevation 271.00

Table with columns: Material, From, To. Row 1: Abandonment Only, 0, 410.

Construction

Begin Date 7/13/2023 Begin Time 10 00 End Date 7/14/2023

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 2003 Date 7/19/2023

Signed JAIME MUNOZ JR (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 2006 Date 7/19/2023

Signed CHRISTEN BLAND (E-filed)

Contact Info (optional) SKYLES WELL DRILLING 503-656-2683

**WATER SUPPLY WELL REPORT -
continuation page**

WASH 81321

WELL I.D. LABEL# L

START CARD #

1070393

7/19/2023

ORIGINAL LOG #

WASHINGTON 12203

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

Material	From	To	Amt	sacks/lbs

(5) BORE HOLE CONSTRUCTION

BORE HOLE				SEAL			sacks/
Dia	From	To	Material	From	To	Amt	lbs
						Calculated	
						Calculated	
						Calculated	
						Calculated	

FILTER PACK			
From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner Dia	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To

Name of person(s) who assisted with construction and Trainee License # / Helper #		
Assistant Name	Type	#
BRYAN SUCHANSKI	HELPER WATER	8888847

Comments/Remarks

Original seal material from 0' to 73' was cement but amount of material is unknown.

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

WASH 81321


7/19/2023

Map of Hole

**STATE OF OREGON
WELL LOCATION MAP**

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL
Latitude: 45.34910800 Datum: WGS84
Longitude: -122.78572900
Township/Range/Section/Quarter-Quarter Section:
WM2.00S1.00W34SESE
Address of Well:
NEAR 10795 SW TONQUIN RD, SHERWOOD, OREGON

Hole Nbr: 01
Printed: July 19, 2023

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.
Provided by well constructor

