| | | | | Page 1 | of 3 |
|---|---------------------|------------------------------|---|----------------------------------|-------|
| STATE OF OREGON | WASH | 81855 | WELL I.D. LABEL# I | - 147194 | |
| WATER SUPPLY WELL REPORT | | | START CARD # | 1073557 | |
| (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) | 5/3/2 | 2024 | ORIGINAL LOG # | WASHINGTON 1366 | |
| (1) LAND OWNER Owner Well I.D. 3B | | | | 1500 | |
| First Name JOHN Last Name HARRIS | • | | | • .• . | |
| Company PARRETT MOUNTAIN VIEW ESTATES OWNER ASSOCIATIO | N | | FION OF WELL (legal d | - | |
| Address 18319 SW SALMONBERRY DR | | | INGTON Twp 3.00 S N/ | | WM |
| City SHERWOOD State OR Zip 97140 | | | NE 1/4 of the NW | | |
| (2) TYPE OF WORK New Well Deepening Conve | rsion | Tax Map Num | ber <u>3S107BA</u> ' or <u>45.33126600</u> | Lot | |
| (2) I YPE OF WORK | | Lat | ' or 45.33126600 |) DMS or | DD |
| (2a) PRE-ALTERATION Abandonment(cor | nplete 5a) | Long° | or <u>-122.862357</u> | 700 DMS or | DD |
| Dia + From To Gauge Stl Plstc Wld Thrd | | • • s | treet address of well ONe | arest address | |
| Casing: 6 0 219 .250 \bigcirc X | | 26051 SW LA | BROUSSE RD, SHERWOOD, | OREGON | |
| Material From To Amt sacks/lbs | | | | | |
| Seal: Cement 0 220 30 Sacks | | | | | |
| (3) DRILL METHOD | | (10) STAT | IC WATER LEVEL | | |
| Rotary Air Rotary Mud Cable Auger Cable Mud | | | Date | SWL(psi) + SWL(ft) | |
| Reverse Rotary Other | | | Vell / Pre-Alteration 4/30/2024 | 312 | |
| | | Complete | | | |
| (4) PROPOSED USE X Domestic Irrigation Community | | | Flowing Artesian? | Dry Hole? | |
| Industrial/ Commericial Livestock Dewatering | | WATER BEAF | RING ZONES Depth wa | ter was first found | |
| Thermal Injection Other | _ | SWL Date | From To Est | Flow SWL(psi) + SWL(ft |) |
| (5) BORE HOLE CONSTRUCTION Special Standard (A | | | | | , |
| | ttach copy) | | | | |
| Depth of Completed Well <u>573.00</u> ft. | | | | | |
| BORE HOLE SEAL | sacks/ | | | | |
| Dia From To Material From To Ar 8 0 5 | nt lbs | | | | |
| 8 0 5 6.5 5 6 Calculated | | | | | |
| 6 6 573 | | | | | |
| Calculated | | (11) WELL | LOG Ground Elevation | n | |
| Seal placement method A B C D E Other: | | | Material | From To | |
| Backfill placed from ft. to ft. Material | | Cleanout & In | stall New 4.5" PVC Liner | 0 573 | |
| Filter pack from ft. to ft. Material Size | | | | | |
| | | | | | |
| Explosives used: Type Amount Seal Placement Begin Date Begin Time | | | | | |
| | | | | | |
| (5a) ABANDONMENT USING UNHYDRATED BENTONIT | E | | | | |
| Proposed Amount Actual Amount | | | | | _ |
| (6) CASING/LINER | | | | | _ |
| Casing Liner Dia + From To Gauge Stl Plstc V | Vld Thrd | | | | _ |
| $\bigcirc \bullet 4.5 \Box 5 573 \text{Sch40} \bigcirc \bullet [$ | | | | | _ |
| | | | | | - |
| | | | | | - |
| | | | | | |
| | | | | | |
| Shoe Inside Outside Other Location of shoe(s) | | | | | |
| Temp casing Yes Dia From + To | | | | | |
| (7) PERFORATIONS/SCREENS | | | | | |
| Perforations Method Saw | | | | | |
| Screens Type Material | | Construction Begin Date 4 | /30/2024 Begin Time 10 | 00 End Date 5/1/2024 | |
| Perf/ Casing/ Screen Scrn/slot Slot # of | Tele/ | Degin Date 4 | <u>/30/2024</u> Begin Time 10 | 100 End Dute 3/1/2024 | _ |
| Screen Liner Dia From To width length slots | pipe size | (unbonded) V | Vater Well Constructor Certifi | cation | |
| Perf Liner 4.5 529 572 .125 3 190 | | | the work I performed on the co | | |
| | | | of this well is in compliance | | |
| | | construction s | tandards. Materials used and in | formation reported above are tru | ue to |
| | | | knowledge and belief. | | |
| | | License Numb | Der 2003 Da | ate <u>5/3/2024</u> | |
| (8) WELL TESTS: Minimum testing time is 1 hour | | G: 1 | | | |
| Pump Bailer Air Flowing Ar | tesian | Signed JAI | ME MUNOZ JR (E-filed) | | |
| Yield gal/min Drawdown Drill stem/Pump depth Duration (hi | | (bonded) Wat | ter Well Constructor Certificat | ion | |
| 75 572 1 | | · / | nsibility for the construction, de | | nman |
| | | | ed on this well during the constru | | |
| | | | ring this time is in compliance | | |
| Temperature 53 °F Lab analysis Yes By SDI, Iron Trace | | | andards. This report is true to th | | |
| | | | - | | |
| Water quality concerns? Yes (describe below) TDS amount 72 From To Description Amount | <u>ppm</u> Units | License Numb | <u>2006</u> Da | ate <u>5/3/2024</u> | |
| | | Signed CH | RISTEN BLAND (E-filed) | | |
| | | • <u></u> | optional) Skyles Well Drilling 5 | 03-656-2683 | |
| | | | optional <u>oxyles wen Drining</u> S | | |
| | | · | | | |

| RIGINAL - | WATER | RESOURCES | DEPARTMEN |
|-----------|-------|-----------|-----------|
| | | | |

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: New exempt use wells must be submitted with a map and recording fee.

WATER SUPPLY WELL REPORT -

continuation page

5/3/2024 (2a) PRE-ALTERATION Dia + From То Gauge Stl Plstc Wld Thrd Material From Amt sacks/lbs То (5) BORE HOLE CONSTRUCTION BORE HOLE SEAL sacks/ Dia From То Material From То Amt lbs Calculated Calculated Calculated Calculated FILTER PACK Material Size From То (6) CASING/LINER Stl Plstc Wld Thrd Casing Liner Dia + From То Gauge (7) PERFORATIONS/SCREENS Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia То slots From width length pipe size (8) WELL TESTS: Minimum testing time is 1 hour Yield gal/min Drill stem/Pump depth Drawdown Duration (hr)

WELL I.D. LABEL# L 147194 START CARD # 1073557

ORIGINAL LOG # WASHINGTON 1366

Water Quality Cor

WASH 81855

| water Quanty Concerns | | | | | | |
|-----------------------|----|-------------|--------------|--|--|--|
| From | То | Description | Amount Units | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

(10) STATIC WATER LEVEL

| SWL Date | From | То | Est Flow | SWL(psi) | + | SWL(ft) |
|----------|------|----|----------|----------|----------|---------|
| | | | | | | |
| | | | | | | |
| | | | | | \vdash | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

(11) WELL LOG

| Material | | From | То |
|-------------------------------------|--------------------|---------------|-----------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Name of person(s) who assisted with | n construction and | Trainee Licen | se # / Helper # |
| Assistant Name | Туре | | # |
| JONATHAN GROSSNICKLE | WATER | | 1998 |

| or a first of constrained | 1//0 |
|---------------------------|----------|
| | |
| | |
| | |
| | |
| | |

Comments/Remarks

The original Well ID #L33783 was missing. Replaced with ID #L147194. Original 1992 Water Well Report WASH_1366. 1999 Pump Test Report WASH_55096. 2006 Removal of liner/caved at 405' WASH_63802. Customer requested cleanout of backup well that had previously caved in @ 405'. Arriving onsite we found well to have 8" .250 +1' to 5'. Then a welded on reducer from 5' to 6' reducing casing to 6". Casing & seal not altered.

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow WASH 81855

5/3/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

LOCATION OF WELL

Latitude: 45.33126600 Datum: WGS84 Longitude: -122.86235700 Township/Range/Section/Quarter-Quarter Section: WM3.00S1.00W7NENW Address of Well: 26051 SW LABROUSSE RD, SHERWOOD, OREGON

Oregon Water Resources Department 725 Summer St NE, Salem OR 97301



725 Summer St NE, Salem OR 97301 (503)986-0900

Well Label: 147194

Printed: May 3, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

