STATE OF OREGON	WASH	81952		I.D. LABEL		988		
WATER SUPPLY WELL REPORT			STA	ART CARD	# 1074	185		
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	6/26/	2024	ORIG	INAL LOG	# W	ASH 3	3765	
(1) LAND OWNER Owner Well I.D.								
First Name Last Name	·	(9) LOCAT	TION OF W	VELL (lega	al descri	iption)		
Company WASHINGTON COUNTY		County WASH	INGTON Twp_	1.00 S	_N/S F	Range <u>4.00</u>	W	E/W WN
Address 1080 SW BASELINE ST City HILLSBORO State OR Zip 97123		Sec <u>18</u>	NE 1/4	of the NW	1/4	Tax Lot _4	1900	
	Conversion	Tax Map Num	ber			Lot		
X Alteration (complete 2a & 10) Abandonm		Tax Map Num		" or <u>45.48934</u>	1991			DMS or DD
2a) PRE-ALTERATION	ent(complete 3a)	Long°	'	" or <u>-123.232</u>	16058			DMS or DD
Dia + From To Gauge Stl Plstc Wld T	<u>`hrd</u>		treet address of	_				
Casing: 6 X 1 21 .250 • X		4300 SW WE	ST SHORE DE	RIVE GASTO	N, OR 97	119		
Material From To Amt sacks/lbs Seal: Bentonite 0 20 11 Sacks								
3) DRILL METHOD		(10) STATI	C WATER	LEVEL				
Rotary Mud Cable Auger Cable	Mud	, ,		Ε	Date SV	WL(psi)	+ ;	SWL(ft)
Reverse Rotary Other			Vell / Pre-Alter					100
		Completed		6/21/20		II 1 0	ᆛᅳ	33
4) PROPOSED USE Domestic Irrigation Comm	nunity		Flowin	ng Artesian?	_	y Hole?	J	
Industrial/ Commercial Livestock Dewatering		WATER BEAR	ING ZONES	Depth				
Thermal Injection X Other PARK SERVICES		SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
	(Attach copy)	6/21/2024	130	133	4		7 🗆	33
Depth of Completed Well 287.00 ft.							J 🗀	
BORE HOLE SEAL	sacks/							
Dia From To Material From To 6 0 287	o Amt _{lbs}						4 📙	
Calculat	ted						⅃┖	
		(11) WELL	LOC					
Calculat	ted	(11) WELL	LUG	Ground Elev	ation 350	6.70 FT		
Seal placement method A B C D E Other:			Material			From		То
Backfill placed from ft. to ft. Material							+	
	Size						+	
Explosives used: Type Amount Amount							\top	
Seal Placement Begin Date 6/20/2024 Begin Time 11	00							
5a) ABANDONMENT USING UNHYDRATED BENTO	ONITE						+	
Proposed Amount Actual Amount							+	
6) CASING/LINER Mat.	Shoe						+	
C/L Dia + From To Gauge Type Wld Thrd	Shoe Location							
L 4 7 287 200 PL X								
		1					+	
							\top	
Temp casing Yes Dia From + To)							
7) PERFORATIONS/SCREENS							+	
Perforations Method DRILLED		Construction				<u> </u>		
Screens Type Material		Begin Date 6/	/19/2024 Be	egin Time 08	00	End I)ate <u></u>	5/21/2024
Perf/ Casing/ Screen Scrn/slot Slot Screen Liner Dia From To width length	# of Tele/ slots Pipe size	(unbonded) V	Vater Well Co	nstructor Ce	rtification	1		
Perf Liner 4 267 287 .5 0.5	40	` ′	the work I per				ning,	alteration, or
		abandonment	of this well	is in compli	ance with	n Oregon	water	supply well
			tandards. Mate		d informat	tion reporte	d abo	ve are true to
		1	knowledge and		D-4-			
		License Numb	per 2071		Date 6	5/26/2024		
8) WELL TESTS: Minimum testing time is 1 hour		Signed MI	CHELL HER	INCKY (E-fil	ed)			
Ticlu	Duration			•				
Type of Test (gal/min) Drawdown Pump Depth	(hr)	(bonded) Wat						
Air 4 280	1	I accept respo						
		work performed performed dur						
Temperature 54 °F Lab analysis Yes By		construction st						
) ppm	License Numb		•	Date 6/2	-		
Water quality concerns? Yes (describe below) TDS amount Operation To Description Am	ount Units		2023		2 and 6/2	20/2024		
			CHAEL APPLE					
		Drilling Comp	any: ALPIN	E RESOURCI	ES 503-64	7-2969		
		l						

Amended 6/28/2024

Page 1 of 3

	-	7E-E-	ID I :-	NETE !! =					Page	2 o
81952	V	WELL I.D. LABEL# L			-					
2024						1074185				
2024			IGINAL I	LOG#						
Water Qual	ity Coi To	ncern		intiar		Am	1011*	nt	Units	
rioiii j	. 0		Descri	iption		All	ioui	It	Units	l
0) STATI	C WA	TEL	LEVEL	,						_
SWL Date	Fror		To		Flow	SWL(ps	i)	+	SWL(ft)	
						, , , , , , , , , , , , , , , , , , ,	Ĺ			
							-	Н		-
								H		+
								□		
							4	\sqcup		4
							\dashv	\vdash		\dashv
							\dashv	H		+
1) WELL	LOG			•						_
,	Mat	erial				From			To	
								+		_
								╁		_
								4		
								+		
								╁		
								-		
								╁		
								+		
								╬		
								+		
								╁		
						-		- -		
								+		
										_
								_[_
ame of person	(s) who	assist	ted with con	structio	n and	 Trainee I	Lice	nse	# / Helpe	er #
	istant N		ı		Typ			ı	#	
								+		
								士		_
								Ţ		
										_
comments/	Rema	rks								

PULLED PUMP, CAMERED HOLE FOUND BROKEN LINER AT 270' REMOVED BROKEN LINER HOLE CAVED TO 287' REINSTALLED NEW LINER TO 287' AND RESET PUMP TO 280'. EXISTING WELL LOG

WASH 3765.

(8) WELL TESTS: Minimum testing time is 1 hour Drill Stem/ Duration

Type of Te	st (gal/min)	Drawdown	Pump Depth	(hr)

Yield

WASH 81952

6/26/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.48934991 Datum: WGS84

Longitude: -123.23216058

Township/Range/Section/Quarter-Quarter Section:

WM1.00S4.00W18NENW

Address of Well:

4300 SW WEST SHORE DRIVE GASTON, OR 97119

Startcard: 1074185

Printed: June 25, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

