NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 SEP 1 8 1975 (Please type or print)
within 30 days from the daw ATER RESOURCES

SALEM OF DEPT

State	Well No.	211/30-36
State	Permit N	70

(1) OWNER:	(10) LOCATION OF WELL:
Name Bonanza Cafe	County Washington Driller's well number
Address Star Route Box 620 Gales Creek,	14 14 Section 36 T. 2-N R. 5-W W.M.
Oregon 97117	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	January Collice
New Well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 12 ft.
Rotary * Driven Domestic Industrial Municipal Domestic Industrial Municipal	Static level 11 ft. below land surface. Date 9-10-7
Cable	
	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded □ Welded 🔀	(12) WELL LOG: Diameter of well below casing6
6	Depth drilled 55 ft. Depth of completed well 55 ft.
	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated?  Yes XX No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	
Size of perforations in. by in.	0 13
perforations fromft. toft.	Blue med. rack boulders 12 32
perforations fromft. toft.	Blue & green mexed broken 32 36
perforations fromft. toft.	Blue med. 36 47
(F) CODERING	Blue & green mixed broken 47 50
(7) SCREENS: Well screen installed? ☐ Yes ☒ No	Blue med. rock 50 55
Manufacturer's Name	
Type	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes № No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " "	
air " " "	
Exter test 35 gal./min. with 23 ft. drawdown after 1 hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 9-10-75 19 Completed 9-10-75 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 9-10-75 19
Well seal-Material usedCement	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.
Well sealed from land surface toft.  Diameter of well bore to bottom of seal9in.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal in.	A STATE OF THE
Number of sacks of cement used in well seal3sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No254
Brand name of bentonite	Woten Wall Control of California
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used?  Yes No Plugs Size: location ft.	Name Ralph Turner Drilling Co.
Did any strata contain unusable water?   Yes X No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address Rte 1 Box 141 Hillsboro, Oregon
Method of sealing strata off	[Signed] Galah July
Was well gravel packed? ☐ Yes 🔀 No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 247 Date 9-15-75 , 19