

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON-97310 within 30 days from the date of well completion.

WATER WELL REPORT

RECEIVED AUG 19 1969

STATE OF OREGON Please type or print (Do not write above this line)

WASH 009633 G-6299

State Well No. 42W-8 State Permit No.

STATE ENGINEER

(1) OWNER: SALEM, OREGON

Name Glenn Walters Rhododendron Nursery Address Rt. 4, Box 142, Hillsboro, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):

Rotary [X] Driven [] Cable [] Jetted [] Dug [] Bored [] Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED: 8" Diam. from 0 ft. to 110 ft. Gage .250

PERFORATIONS: Perforated? [X] Yes [] No. Type of perforator used Torch Size of perforations 1/8 in. by 12 in. 231 perforations from 33 ft. to 110 ft.

(7) SCREENS: Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well. Static level 22 ft. below land surface Date 8/7/69

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No Yield: gal./min. with ft. drawdown after hrs. Bailer test 60 gal./min. with 48 ft. drawdown after 2 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION: Well seal—Material used Bentonite Depth of seal 20 ft. Diameter of well bore to bottom of seal 16 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [] Yes [X] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [] No Size of gravel 1/4" Pea Gravel placed from 20 ft. to 110 ft.

(11) LOCATION OF WELL:

County Washington Driller's well number 1/4 Section 8 T. 1 S. R. 2 W. W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG: Diameter of well below casing 8" Depth drilled 110 ft. Depth of completed well 110 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top soil, Brown clay, Brown sandy clay, Dark brown sandy clay, Light brown clay, Blue clay, Sandy streaks in blue clay, Sand & wood, Sand streaks in blue clay, Coarse sand, some clay strks, Fine sand & clay.

Work started 7/28/69 19 Completed 8/7/69 19 Date well drilling machine moved off of well 8/7/69 19

Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Edw. M. Janssen Date 8/13/69 (Drilling Machine Operator)

Drilling Machine Operator's License No. 235

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME A. M. Janssen Drilling Co. (Person, firm or corporation) (Type or print) Address 21075 S. W. Tualatin Valley Hwy, Aloha, Oregon [Signed] Edw. M. Janssen (Water Well Contractor) Contractor's License No. 79 Date 8/13/69, 19