	ELL REPORTWASH State Well No. 77214	1-11
Duplicate with the STATE ENGINEER,	OF OREGON OO 761 State Permit No.	www.keneessessessessessessessessessessessesse
(1) OWNER: 0 1 18 MAY 2.1 1962	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made? Yes \( \sqrt{N}\) No If yes, by whom? When Properties \( \sqrt{N}\)	
Name Address Of Boy 3800 STEGON	Was a pump test made?   Yes □ No If yes, by whom?  Yield: / O O gal./min. with S S ft. drawdown aft	
Hillsboro, Oregon	23 23 . 15	***
(2) LOCATION OF WELL:  County Owner's number, if any—	Bailer test 36 gal./min. with 10 ft. drawdown after hrs.	
County Owner's number, if any—  ''A Section T. S. R. 2 W.W.I.	Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made?	☐ Yes ☐ No
Bearing and distance from section or subdivision corner  467.7 EAST of 14 Corner to 2 points	(12) WELL LOG: Diameter of well	
Thomas 70, South a distance of 1615	Depth drilled / ft. Depth of completed well  Formation: Describe by color, character, size of material and show thickness of aguifers and the kind and nature of the respective to the respectiv	<del></del>
	show thickness of aguifers and the kind and nature of the nature stratum penetrated, with at least one entry for each change	naterial in each se of formation.
	MATERIAL FR	ROM TO
TYPE OF WORK (check):  New Well Z Deepening  Reconditioning  Abandon	RED CLAY 2	5-5-
If abandonment, describe material and procedure in Item 11.	BLOE 11	3- 93
(4) PROPOSED USE (check): (5) TYPE OF WELL:	AFD "	5 /28
Pomestic   Industrial   Municipal   Rotary   Driven	ROCK HARD 1	30 160
gation M Test Well  Other  Dug  Bored	WHIER 20CPM	28125
	- ROCK MED. SOFT. 16	50 170
(6) CASING INSTALLED: Threaded ☐ Welded		70 188
"Diam. fromft. toft. Gage	WATER FORMATION	
"Diam. fromft. toft. Gage		
(7) PERFORATIONS: Perforated? ☐ Yes ☐ No Type of perforator used		
SIZE of perforations in. by in.		=======================================
perforations from ft. to	ft.	
perforations from	ft.	
periorations from	ft.	
perforations fromft_ to	ft.	
(8) SCREENS: Well screen installed ☐ Yes ✓ No		
Model No.		
Diam Slot size Set from ft. to		10/1
Diam. Slot size Set from ft. to ft.	ft. Work started 3/3 1962 Completed 3//	199 4
CONSTRUCTION:	(13) PUMP: /	
well gravel packed?   Yes   No Size of gravel:	Manufacturer's Name	
Gravel placed fromft. toft.	Type: H.P.	
Was a surface seal provided? ☐ Yes ☐ No To what depth? Material used in seal—	Well Driller's Statement:	
Did any strata contain unusable water? ☐ Yes ☐ No	This well was drilled under my jurisdiction and	d this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	- NAME	or print)
(10) WATER LEVELS: Static level 40 ft. below land surface Date 5/2/2		LOHA OR
Artesian pressure lbs. per square inch Date	Driller's well number	
Log Accepted by:	[Signed] Paul & R 12	2
[Signed] Configuration Date 12 15, 196	License No. 94 Date 5//2	, 196.2
V (VICE A DIMINON	AT CLIPPING TO NECESSARY)	