

# 16

STATE OF OREGON

WATER WELL REPORT

(as required by ORS 537.765)

*Jamb*  
168

3S2W123 bb

(START CARD) # 19382

(1) OWNER:

Name Steve Jensen Well Number: 1  
Address P.O. Box 231002  
City Tigard State Ore Zip 97223

(2) TYPE OF WORK:

New Well  Deepen  Recondition  Abandon

(3) DRILL METHOD

Rotary Air  Rotary Mud  Cable  
 Other

(4) PROPOSED USE:

Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval Yes  No  Depth of Completed Well 600 ft.  
Explosives used  Yes  No  Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
10"	0	30	Concret	0	35	18 concret 2 bentonite
8 3/8"	35	300	Concret	290	300	6 Concret
6"	300	600				

How was seal placed: Method  A  B  C  D  E  
 Other

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6 3/8"	+3	300	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4 1/2"	-2	450		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 300

(7) PERFORATIONS/SCREENS:

Perforations Method SKil Saw  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
300	450	Y8X6	200			<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
7 1/2	FvH	600	1 hr.

Temperature of water 60 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:

County Jambill Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 3S N or S, Range 2W E or W, WM.  
Section 23 NW 1/4 NW 1/4  
Tax Lot 3222 Lot 00100 Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) \_\_\_\_\_

(10) STATIC WATER LEVEL:

286 ft. below land surface. Date May 29 90  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:

Depth at which water was first found 367

From	To	Estimated Flow Rate	SWL
367	369	3-4	286
475	477	3	286

(12) WELL LOG: Ground elevation 350 ±

Material	From	To	SWL
Red Clay	0	7	
Broken Red & Brown Sandstone	7	24	
Gray Basalt	24	38	
Broken Brown Basalt	38	292	
Gray Basalt	292	314	
Broken Gray & Brown Basalt	314	396	
Brown Basalt	396	423	
Gray Sandstone	423	434	
Broken Gray & Brown Basalt	434	477	
Gray Sandstone	477	600'	

RECEIVED

DEC 17 1990

WATER RESOURCES DEPT  
LEM, OREGON

Date started May 21 Completed May 31

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed \_\_\_\_\_ WWC Number \_\_\_\_\_  
Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed Wale S. Abernathy WWC Number 1281  
Date June 12 90