The original and first copy of this report are to be filed with the

DECE VETH WELL REPORT

Jan

State Well No.

3/2W-3

STATE ENGINEER, SALEM, OREGON Within 30 days from the date of well completion.

STATE ENGINEER above this line)

SALEM. OREGON

(10) LOC

20/9 Star

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:		
Name Wallace Yost	County Yanhill Driller's well number		
Address 827 S. W. Stephenson St.	1/4 1/4 Section 3 T. 3 S. R. 2 W.M.		
Portland, Oregon 97218	Bearing and distance from section or subdivision	on corner	
(2) TYPE OF WORK (check):	£		
New Well ☑ Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	الم	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Man A		
Potony M Drivon C			ft.
Cable Jetted Domestic Kindustriai Municipai	Static level 110 ft. below land s	surface. Date 7_1	8 -7 0
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	e inch. Date	• •
CASING INSTALLED: Threaded Welded	(12) WELL LOG:		• .
8	(12) WELL LOG: Diameter of well below casing		
"Diam. fromft. Gage	Depth drilled 305 ft. Depth of completed well 305 ft.		
	Formation: Describe color, texture, grain size and show thickness and nature of each strature		
	with at least one entry for each change of forma	tion. Report each c	hange in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bearin	g strata.
Type of perforator used	MATERIAL	From To	SWL
Size of perforations in. by in.	Top soil	0 3	
perforations from ft. to ft.	Brown clay	3 10	
perforations from ft. to ft.	Yellow clay	10 50	
perforations from ft. to ft.	Yellow sandy clay	50 105	
	Brown sandstone	105 110	
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Brown sost rock	110 135	
Manufacturer's Name	Brown hard rock	135 155	
Type Model No.	Brown med_ rock	155 200	
Diam Slot size Set from ft. to ft.	Blue hard rock	1	
Diam Slot size Set from ft. to ft.	Brown Lava		
	1	200 238	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Slue hard rock	238 255	
Was a pump test made? ☐ Yes ✗☐ No If yes, by whom?	Black and brown land	255 260	
Yield: gal./min. with ft. drawdown after hrs.	Blue med. rock Blue hard rock	260 275 275 305	
" " "	scae naca rock	275 305 	
	-		
**************************************	internal control of the control of t		
Patter test 30 gal./min. with 35 ft. drawdown after hrs.			
Artesian flow g.p.m.			
mperature of water Depth artesian flow encountered ft.	Work started 7-15-70 19 Complete	ed 7-18-70	19
(a) CONCERNICATION.	Date well drilling machine moved off of well	, , , , ,	19
(9) CONSTRUCTION:	* ************************************	-	**
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my		wiston
Well sealed from land surface toft.	Materials used and information reported	above are true	to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.	L	
Diameter of well bore below seal	[Signed] Stalph Juliu	Date 1005	<u>, 19.2.0</u>
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	O.C.	*r :
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	4-).44	E
Brand name of bentonite	Water Well Contractor's Certification:	÷	
Number of pounds of bentonite per 100 gallons		lotton and the	
of water	This well was drilled under my jurisd true to the best of my knowledge and bel		sport 18
Was a drive shoe used? 🗌 Yes 🕱 No Plugs Size: location ft.			
Did any strata contain unusable water? 🔲 Yes 🙀 No	(Person, firm or corporation)	(Type or prin	*** /** * * * * * * * * * * * * * * * *
Type of water? depth of strata	Address Rte 1 Box 141 Hillsho	ro, Oregon	9712
Method of sealing strata off	Balak Tu	L. BL	
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Control	ractor)	******
Gravel placed from tt. to tt.	Contractor's License No. 247 Date	7-23	192