

NOTICE TO WATER WELL CONTRACTOR:
The original and first copy of this report are to be filed with the

RECEIVED
NOV 27 1972

WATER WELL REPORT
STATE OF OREGON

Yamhill
2660

State Well No. 35/2 W-30

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.
Please type or print
SALEM, OREGON (Do not write above this line)

State Permit No. _____

(1) OWNER:

Name City of Dundee
Address Dundee, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
12" Diam. from 0 ft. to 115 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used Millknife
Size of perforations $\frac{1}{2}$ in. by 3 in.
56 perforations from 62 ft. to 66 ft.
64 perforations from 98 ft. to 103 ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? driller
Yield: 110 gal./min. with 26 ft. drawdown after 24 hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement grout
Well sealed from land surface to 29 ft.
Diameter of well bore to bottom of seal 25 in.
Diameter of well bore below seal 25 in.
Number of sacks of cement used in well seal 5 yds. sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 3/4
Gravel placed from 29 ft. to 115 ft.

(10) LOCATION OF WELL:

County Yamhill Driller's well number _____
 $\frac{1}{4}$ Section 30 T. 3S R. 3W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 36 ft.
Static level 29 ft. below land surface. Date 10/30/72
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing _____
Depth drilled 115 ft. Depth of completed well 115 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	4	
Brown sandy clay	4	36	
Brown gravel	36	45	25
Brown sand	45	54	
Blue clay	54	62	
Blue sandy shale	62	65	25
Blue clay	65	98	
Blue sandy clay	98	102	25
Brown clay	102	115	

Work started October 10 19 72 Completed October 30 19 72
Date well drilling machine moved off of well October 31 19 72

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John T. Miller Date Nov 27, 19 72
(Drilling Machine Operator)
Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name John Truman Miller
(Person, firm or corporation) (Type or print)
Address P O Box 341 Hubbard, Oregon 97032
[Signed] John T. Miller
(Water Well Contractor)
Contractor's License No. 277 Date November 27, 19 72