

WATER WELL CONTRACTOR
 original and first copy
 of this report are to be
 filed with the
 DEER, SALEM, OREGON 97310
 30 days from the date
 of well completion.

WATER WELL REPORT

RECEIVED

OCT 8 1974

STATE OF OREGON

State Well No. 35/2W-6 dd

(Please type or print)

STATE ENGINEER

State Permit No. 7024

(Do not write above this line) SALEM, OREGON

YAMH
 268

(1) OWNER:

Name Jacob Stamber
 Address RT 1 Box 145-A Newberg Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

6" Diam. from 4.6 ft. to 30 ft. Gage 4
 " Diam. from _____ ft. to _____ ft. Gage _____
 " Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____
 Size of perforations _____ in. by _____ in.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
air lifted 75 lbs. per min
" 150 ft after 1 hr "
 Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ g.p.m.
 Temperature of water 54 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement
 Well sealed from land surface to 18 ft.
 Diameter of well bore to bottom of seal 9.5 in.
 Diameter of well bore below seal 6 in.
 Number of sacks of cement used in well seal 5 sacks
 Number of sacks of bentonite used in well seal _____ sacks
 Brand name of bentonite _____
 Number of pounds of bentonite per 100 gallons
 of water _____ lbs./100 gals.
 Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Yamhill Driller's well number _____
 _____ 1/4 Section T. R. W.M.
 Bearing and distance from section or subdivision corner
Sec 6 T3S R2W

(11) WATER LEVEL: Completed well.

Depth at which water was first found 65 ft.
 Static level 9 ft. below land surface. Date 9/27/74
 Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 180 ft. Depth of completed well 180 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	3	
Brown Clay	3	12	
Brown shale	12	16	
Blue "	16	65	
Blue sand rock	65	180	

Work started 9/27 1974 Completed 9/27 1974
 Date well drilling machine moved off of well 9/27 1974

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Barclay M. Huffman Date 10/3, 1974
 (Drilling Machine Operator)
 Drilling Machine Operator's License No. 82

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Barclay M. Huffman (Type or print)
 Address 729 N Main Newberg Ore
 [Signed] Barclay M. Huffman
 (Water Well Contractor)
 Contractor's License No. 117 Date 10/3, 1974