
p

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)



38/	12w	/9ca	2
(START CARD) #	50234		

(1) OWNER: Well Number 93-33 SALEM	9) LOCATION O	OF WELL by legal	description:				
Names . D. a Editi pitte	County Yamhi	11 Latitude					
Address24225 Dayton Ave		N or S. Range			V. WM.		
City Newberg State OR Zip 97132							
(2) TYPE OF WORK:	Tax Lot	_LotBlock_	Subd	ivision			
New Well Deepen Recondition Abandon	Street Address of V	Vell (or nearest address).					
(3) DRILL METHOD:	SAME						
Rotary Air Rotary Mud Z Cable	(10) STATIC WAT	TER LEVEL:					
Other	78 ft. t	elow land surface.	Dat	_e 7/9/	93		
(4) PROPOSED USE:	Artesian pressure _	lb. per squ	are inch. Dat	e			
Domestic Community Industrial Irrigation	(11) WATER BEA	RING ZONES:					
☐ Thermal ☐ Injection ☐ Other							
(5) BORE HOLE CONSTRUCTION:	Depth at which water	was first found 13	0				
Special Construction approval Yes No Depth of Completed Well 229 ft.							
Explosives used Yes X No Type Amount	From	То	Estimated Flo	w Rate	SWL		
	130	228	35		78		
HOLE SEAL Amount Diameter From To Material From To sacks or pounds							
10 0 30 cement 0 30 15 sks							
6 30 229							
	(12) WELL LOG						
	(12) WELL LOG	Ground elevation	on 180				
How was seal placed: Method A B & C D E		Ground elevani	OII				
Other		Material	From	То	SWL		
Backfill placed from ft. to ft. Material	11		0	2	1 3WL		
•			2	+ 4-	+-		
Gravel placed from ft. to ft. Size of gravel Clay Brwn Rock decomposed			22	+			
(6) CASING/LINER:			22	24	+		
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 6 +1 32 250 🛣 🔲 🔯	Rock Fract	ured nard	24	90	+		
	lava red		90	95	-		
	Rock fract		95	115			
		ured red/br		120			
	Basalt fraactured gray/brw120 141 78						
Liner:					—		
		ctured Gry/1					
Final location of shoe(s) 32.5	Rock decom	posed MH	223	228			
(7) PERFORATIONS/SCREENS:	Basalt fra	ctured	228	229			
Perforations Method					ļ		
Screens Type Material					<u> </u>		
Slot Tele/pipe				<u> </u>			
From To size Number Diameter size Casing Liner							
N/A							
							
				 			
(8) WELL TESTS: Minimum testing time is 1 hour	Data attacks 6 / 20	/93 Com	-less 7 / O	/02			
Pump XX Bailer Air Artesian		Il Constructor Certifica		/93			
☐ Pump XX Bailer ☐ Air ☐ Artesian		ork I performed on the c		ration or	abandon.		
Yield gal/min Drawdown Drill stem at Time		ompliance with Oregon w					
35 70 21 hr.		eported above are true to					
35 70 21 hr.		-	•	Ü			
				lumber _			
	Signed		Date				
	(bonded) Water Well (Constructor Certification	n:				
Temperature of Water 51 Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonment work pe							
Was a water analysis done? Yes By whom formed on this well during the construction dates reported above. All work performance the construction dates reported above. All work performance the construction dates reported above.							
Did any strata contain water not suitable for intended use?		npliance with Oregon wel y k ny wledge and belief.			nis repor		
□ Salty □ Muddy □ Odor □ Colored □ Other			wwc	Number	02		
Depth of strata:	Signed Jour 1	HYCIN	Date <u>2</u>		5		