

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT STATE OF OREGON SEP 14 1970 STATE ENGINEER SALEM, OREGON

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print) Write above this line

YAMHILL 4018

State Well No. 3/3W-5 State Permit No.

(1) OWNER:

Name E. R. Baker Address Rt 2 Box 334, Gaston, Ore

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

6 5/8 OD Diam. from 19 ft. to 96 ft. Gage .250 8 5/8 OD Diam. from 0 ft. to 51 ft. Gage .250

PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used cutting torch Size of perforations 1/4 in. by 12 in. 8 10 perforations from 40 ft. to 51 ft. 6 20 perforations from 56 ft. to 96 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 39 ft. below land surface Date 8-24-70 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailor test 9-10 gal./min. with bottom drawdown after 1 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [] No

(10) CONSTRUCTION:

Well seal—Material used cement Depth of seal 10 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Yamhill Driller's well number 1/4 1/4 Section 5 T. 3S R. 3W W.M. Bearing and distance from section or subdivision corner B-B-D

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled 96 ft. Depth of completed well 96 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include top soil, yellow clay, shale, broken layers of shale, dard gray shale 6 gal here, dark blue gray shale some, broken layers 9-10 gal.

Work started Aug 19 1970 Completed Aug 24 1970 Date well drilling machine moved off of well Aug 24 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John W. Meeker Date Aug 24 1970 (Drilling Machine Operator)

Drilling Machine Operator's License No. 50

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME JOHN MEEKER WELL DRILLING (Person, firm or corporation) (Type or print)

Address 2902 Hoover Blvd., Newberg, Ore 97132

[Signed] John W. Meeker (Water Well Contractor)

Contractor's License No. 111 Date Aug 24 1970