

STATE OF OREGON
WATER WELL REPORT
 (as required by ORS 537.765)

RECEIVED

JAN 29 1985

PLEASE TYPE OR PRINT IN INK

WATER RESOURCES DEPT

Yambi
 456

865
 45/3W4

(for official use only)

(1) OWNER: SALEM, OREGON
 Name John Stoller
 Address RT2
 City DAYTON State OR

(2) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: Rotary Air Driven Cable Bored
(4) PROPOSED USE (check): Domestic Industrial Municipal
 Thermal: Irrigation Withdrawal Reinjection
 Other: Piezometric Grounding Test

(5) CASING INSTALLED: Steel Plastic
 Threaded Welded
 6" Diam. from +1 ft. to 80 ft. Gauge 1.60 #

LINER INSTALLED: Steel Plastic
 Threaded Welded
 4" Diam. from 0 ft. to 245 ft. Gauge 1.60 #

(6) PERFORATIONS: Perforated? Yes No
 Size of perforations 1/4 in. by 6 in.
150 perforations from ft. to ft.
125 perforations from ft. to 245 ft.

(7) SCREENS: Well screen installed? Yes No
 Manufacturer's Name Model No.
 Type Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Field: gal./min. with ft. drawdown after hrs.
 Air test 30 gal./min. with drill stem at 245 ft. 1 1/2 hrs.
 Bailer test gal./min. with ft. drawdown after hrs.
 Artesian flow g.p.m.
 Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION: Special standards: Yes No
 Well seal—Material used Cement grout
 Well sealed from land surface to 80 ft.
 Diameter of well bore to bottom of seal 8 1/2 in.
 Diameter of well bore below seal 6 in.
 Amount of sealing material 13 sacks pounds
 How was cement grout placed? pumped
 Was pump installed? no Type HP Depth ft.
 Was a drive shoe used? Yes No Plugs Size: location ft.
 Did any strata contain unusable water? Yes No
 Type of Water? depth of strata
 Method of sealing strata off
 Was well gravel packed? Yes No Size of gravel:
 Gravel placed from ft. to ft.

(10) LOCATION OF WELL by legal description:
 County Yambi 1/4 of Section 4 of Township 45, Range 3W, WM.
 (Township is North or South) (Range is East or West)
 Tax Lot Lot Block Subdivision
 MAILING ADDRESS OF WELL (or nearest address)

(11) WATER LEVEL OF COMPLETED WELL:
 Depth at which water was first found 125 ft.
 Static level 48 ft. below land surface. Date 1-21-85
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 6
 Depth drilled 245 ft. Depth of completed well 245 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>Top Soil</u>	<u>0</u>	<u>1</u>	
<u>Brown Clay</u>	<u>1</u>	<u>45</u>	
<u>Brown Clay & Stone</u>	<u>4</u>	<u>75</u>	
<u>Soft B-town rock</u>	<u>75</u>	<u>245</u>	

Date work started 1-18-85 /completed 1-21-85
 Date well drilling machine moved off of well 1-21 19 85

(unbonded) Water Well Constructor Certification (if applicable):
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 19

(bonded) Water Well Constructor Certification:
 Bond SB 5167 Issued by: Oregon AGTO
 (number) (Surety Company Name)
 On behalf of Robert Shelburne
 (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Robert Shelburne
 (Water Well Constructor)

(Dated) 1-22-85

NOTICE TO WATER WELL CONSTRUCTOR
 The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
 SALEM, OREGON 97310
 within 30 days from the date of well completion.

SP*46866-690