The original and first contractor of this report are to the filed with the DEC - 3 1970 FATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) within 30 days from the disappear of well completion. SALEM. OREGON

State Well No. State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name City of Wayson	County January Driller's well number
Address Walthy Oxl.	1/4 1/4 Section 9 T.45 R. 4W W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well ☑ Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 120 ft.
Rotary Driven Domestic Industrial Municipal	Static level 40 ft. below land surface. Date 1/-25-70
Cable	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: "Diam. from ft. to ft. Gage ft. Gage ft. to ft. Gage ft. to ft. Gage ft. Gage ft. Threaded property ft. Gage ft. to ft. Gage ft. Gage ft. Gage ft. to ft. Gage ft. G	(12) WELL LOG: Diameter of well below casing
Type of perforator used Apoch	MATERIAL From To SWL
Size of perforations //4 in. by 6 in.	TOP 5011 0 2
perforations fromft. toft.	Red Clay 2 50
100 perforations from 5 ft. to 2 f ft.	Cemented Grave 150 69
perforations fromft. toft.	Boulder 5 6975
	Basa17 75 2/3
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Lava 2/32/8
Manufacturer's Name	Kroken 1805917 218 219
Type Model No.	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	
Diani, Stot Size	-
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes \(\subseteq \text{No If yes, by whom?} \)	
Yield: 75 gal./min. with/60ft. drawdown after 2 hrs.	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 10 - 26 19 10 Completed 11 - 27 19 10
(9) CONSTRUCTION:	Date well drilling machine moved off of well //- 2 7 19 70
Well seal-Material used Clonent	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Word Shelburgare 11- 27, 1970
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of waterlbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Free I No Plugs Size: location ft.	Name BIGE Waley Vr. //hg Co
Did any strata contain unusable water? Yes No	Address PT/ RY75 DOYTON OF C
Type of water? depth of strata	Address (C) (A) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S
Method of sealing strata off	[Signed] John Shill Contractor
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 7 Date 1 Date 19/00