

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

(Do not write above this line)

State Well No. 49/3W-17
State Permit No. _____

RECEIVED

kmh
470

(1) OWNER:

Name Andrew Chuff AUG 17 1978
Address 2 Dayton Ave

(10) LOCATION OF WELL:

County Jemhill Driller's well number 582
DEPT. 1/4 Section 17 T. 43 R. 34 W.M.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(6) CASING INSTALLED:

6" Diam. from 0 ft. to 132 ft. Threaded Welded Gage 1.255
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS:

Type of perforator used saw Perforated? Yes No.

Size of perforations 1/8 in. by 6 in.
100 perforations from 112 ft. to 132 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____ Model No. _____
Type _____ Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a COMP pump test made? Yes No If yes, by whom? Duller
Yield: 150 gal./min. with 70 ft. drawdown after 3 hrs.

Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Artesian flow _____ g.p.m.

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used cement grout
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 12 in.
Number of sacks of cement used in well seal 7 sacks
How was cement grout placed? jumped

Was a drive shoe used? Yes No Plugs _____ Size/location _____ ft.

Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: 3/8

Gravel placed from 25 ft. to 132 ft.

(11) WATER LEVEL: Completed well.

Depth at which water was first found 70 ft.

Static level 30 ft. below land surface. Date 8-4-78

Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 0
Depth drilled 132 ft. Depth of completed well 132 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOP SOIL	0	2	
BROWN CLAY	2	19	
BLUE CLAY	19	70	
FINE BLACK SAND	70	82	
BLUE CLAY	82	115	
SAND & GRAVEL	115	130	
BLUE CLAY	130	132	

Work started 8-1 1978 Completed 8-4 1978

Date well drilling machine moved off of well 8-4 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert Duller Date 8-16 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 337

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name BLUE WATER DRILLING CO
(Person, firm or corporation) (Type or print)

Address RT 1 BX 75 DAYTON, ORE

[Signed] Robert Duller
(Water Well Contractor)

Contractor's License No. 417 Date 8-16 1978