

YAMH 5077

JUL 24 1987

35/5W-198d

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

WATER RESOURCES DEPT.
SALEM, OREGON

YAMH
5077

(1) OWNER: Mr. Richard Clapp Well Number: 2
Name Mr. Richard Clapp
Address 6385 Hwy 47
City Chilton State OR Zip 97111

(2) TYPE OF WORK:
☒ New Well ☐ Deepen ☐ Recondition ☐ Abandon

(3) DRILL METHOD
☒ Rotary Air ☐ Rotary Mud ☐ Cable
☐ Other

(4) PROPOSED USE:
☒ Domestic ☐ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes ☐ No ☒ Depth of Completed Well 112 ft.
Explosives used ☐ Type _____ Amount _____

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
6	0	18	Cement	0	18	9 Sacks

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☒ E
☐ Other

Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6	0	18	16 gage	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4	2	112	16 gage	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
☒ Perforations Method 5/8" circulation drill
☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
32	112		300	5/8"	circulation	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing
Artesian

Yield gal/min	Drawdown	Drill stem at	Time
100		112	1 hr.

Temperature of water 52 Depth Artesian Flow Found _____

Was a water analysis done? ☐ Yes By whom _____

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____

Depth of strata: _____

(9) LOCATION OF WELL by legal description:

County Yamhill Latitude _____ Longitude _____
Township 35 N or S, Range 5W E or W, WM.
Section 19 SE $\frac{1}{4}$ SE $\frac{1}{4}$
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 10280 N.E. Oak Springs Farm Rd.

(10) STATIC WATER LEVEL:

45 ft. below land surface. Date July 18, 87
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found 45 ft 1/2 G.P.M

From	To	Estimated Flow Rate	SWL
85	87	20 G.P.M	45
98	103	80 G.P.M	

(12) WELL LOG:

Ground elevation _____

Material	From	To	SWL
Topsoil	0	2	
Brown & Red Clay	2	8	
Brown Shale	8	11	
Fine Blue Shale with unstable layers	11	112	

Date started July 17 87 Completed July 18 87

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 428
Signed James H. Wilcox Date July 18, 87



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301
 (503) 986-0900
 www.oregon.gov/owrd

Application for Well ID Number

RECEIVED

OCT 21 2020

OWRD

Do not complete if the well already has a Well Identification Number.

I. OWNER INFORMATION

Current Owner Name (please print): Ryan and Michelle Rhea

Mailing Address: 10280 NE Abbey Rd

City, State, Zip: Carlton OR, 97111

Mail Well ID to: ☒ SAME AS ABOVE ☐ In Care Of (C/O)

Name & Address: _____

City, State, Zip: _____

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 3 S (North / South) Range: 3 W (East / West) Section: 20 NW 1/4 of the SW 1/4

Tax Lot (usually last 3-5 numbers of Tax Map #): 301 County Yamhill

GPS Coordinates: 45.293552, -123.090255

Street Address of Well, City: 10280 NE Abbey Rd Carlton, OR 97111

If the property had a different street address in the past: 10280 NE Oak Springs Rd Carlton, OR 97111

III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): _____

Date Well Constructed (or property built): 7/17/1987 Total Well Depth: 112 Casing Diameter: 6

Owner at time the well was constructed (if known): Richard Cloepfil Well Report # (if known): YAMH 5077

Other Information: _____

SUBMITTED BY (please print): Ryan Rhea

PHONE: 503-437-1998

EMAIL &/or FAX: Ryan@Crowinghen.com

Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oregon 97301; or fax to (503) 986-0902.
 Applications are processed in the order they are received, and Well ID Numbers are mailed within 4-5 business days.

For Official Use Only by the Oregon Water Resources Department:

Received Date:
10-21-2020

Well Report Number:
YAMH 5077

Well Identification #:
L 140902