File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level	
ame Keith Bertleston	Was a pump test made? Yes No If yes, by whom?	
ddress Rt 3 Box 32 McMianville, Ore	Yield: gal./min. with ft. drawdown af	ter hrs.
		70
2) LOCATION OF WELL:	Bailer test 15 gal./min. with 53 ft. drawdown aft	ter 7 hrs.
ounty Yambill Owner's number, if any—	Artesian flow g.p.m. Date	<u> </u>
14 14 Section 28 T. 48 R. 4 W.M.	Temperature of water Was a chemical analysis made?	☐ Yes ☐ No
earing and distance from section or subdivision corner		
	(12) WELL LOG: Diameter of well8	inches.
	Depth drilled 120 ft. Depth of completed well	120 n.
	Formation: Describe by color, character, size of material an	d structure, and
	Formation: Describe by color, character, size of material an show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each chang	ge of formation.
		ROM TO
a) Trans on WORK (-la-la).	top soil	0 5
3) TYPE OF WORK (check):	brown sand silt	5 28
Tew Well Deepening Reconditioning Abandon bandonment, describe material and procedure in Item 11.		28 51
bandonment, describe material and procedure in stem 11.		51 55
4) PROPOSED USE (check): (5) TYPE OF WELL:		62
lomestic Industrial Municipal Rotary Driven		66
rrigation Test Well Other Dug Bored		66 71
Migation — rest went in outside in Dug in Bored in		71 76
6) CASING INSTALLED: Threaded □ Welded X		6 91
5/80D Diam. from		91 96
" Diam. from ft. to ft. Gage		6 108
" Diam. from ft. to ft. Gage	blue medium gravel	
	blue green sand silt with little	
7) PERFORATIONS: Perforated? Yes No	gravel 11	16 120
ype of perforator used		
IZE of perforations 1/4 x 12in. by in.		
2 rows perforations from 27 ft. to 67 ft. rows perforations from 2 ft. to 120 ft.		
perforations from ft. to ft.		
perforations from		
perforations from		
perforations from ft. to ft.		
8) SCREENS: Well screen installed Yes No		
fanufacturer's Name		
vpe		
Diam, Slot size Set from ft. to ft.	Work started Nov 23 1961 Completed Dec.	<u>l</u> 19 6]
	440)	
9) CONSTRUCTION: 12" hole	(13) PUMP:	
Vas well gravel packed? No Size of gravel: 1/4 to 1/2	Manufacturer's Name 5 HP Jacuszi Jet	
Gravel placed from 18 ft. to 110 ft.	Type: H.P.	
Was a surface seal provided? Yes \(\bar{\text{No}}\) No To what depth?	West Desillants Statements	
Material used in seal— Cement. Did any strata contain unusable water? Yes No	Well Driller's Statement: This well was drilled under my jurisdiction and	i this report is
	true to the best of my knowledge and belief.	ting report is
Type of water? Depth of strata dethod of sealing strata off	MERKER WELL DRILLING	
REMINI OF SCHILLE SPERING AND	I NAME	or print)
(10) WATER LEYELS:	Address 2902 Hoover Blvd., Newberg, Ore.	
static level 42 ft. below land surface Date	Auditos	
Artesian pressure 1 lbs. per square inch Date	Driller's well number	
A Company	La GAMA	11/
Log Accepted by:	[Signed] (Well Driller)	
Signed], Date, 19	License No. 111 Date Dec 1	1 1961
(Owner)	1	