YAMH 52323

State Well ID L42900

Start Card # 133812 WATER WELL REPORT (as required by ORS 537.765) Page 1 of 1 (9) LOCATION OF WELL by legal description: RECEIVED Well No. 2002 (1) OWNER: Long. ' " County YAMHILL Lat. ' " BERNARD LACROUTE Name W WM. Range 3 Township 3 S Address 19143 NE LAUGHLIN RD SEP 2 7 2000 NE 1/4 SE St OR Zip 97148 1/4 Section 23 City YAMHILL Subdivision Tax Lot 2300 Lot Block WATER RESOURCES DEPT SALEM, OREGON Street Address of Well (or nearest Address) (2) TYPE OF WORK: NEW WELL 10275 NE RED HILLS RD DUNDEE, OR (3) DRILL METHOD: ROTARY AIR (10) STATIC WATER LEVEL: 332 ft. below land surface. Date 09/22/00 (4) PROPOSED USE: IRRIGATION Artesian pressure ____ lb per square in. Date ___ (5) BORE HOLE CONSTRUCTION: Special Construction Approval NO Depth of Compl. Well 545 ft (11) WATER BEARING ZONES: Depth at which water was first found 347 Amount ___ Explosives used NO Type ___ To Est Flow Rate SWL SEAL From HOLE 361 2 332 Amount 347 From To From To Material 528 55 332 BENTONITE CHIP 0 48 24 SAX 456 118 118 28 SAX 118 545 CEMENT W/GEL 48 Seal placement method C AND POURED (12) WELL LOG: Ground elevation 790 Backfill: from ___ ft to ___ ft Material SWL Material From To Gravel: from ___ ft to ___ ft Size TOP SOIL CLAY, BROWN/RED W/SOME DECAYED BASALT 15 (6) CASING/LINER: BASALT, DECAYED/BROWN W/CLAY 15 Connection To Gauge Material Diam. From BASALT, ROUGH DECAY, LOOSE 55 105 METDED . 25 STEEL +2 Casing 6 118 BASALT, GRAY HARD 105 175 175 181 BASALT, RED CINDER LIKE 181 243 BASALT, GRAY HARD 248 BASALT, MEDIUM GRAY W/SOME DECAY 243 545 SDR26 PLASTIC WELDED 347 248 BASALT, GRAY HARD BASALT, MEDIUM GRAY W/SOME DECAY 347 332 Final Location of shoe(s) 118 BASALT, GRAY HARD 361 BASALT, BLACK SOFT 451 456 (7) PERFORATIONS/SCREENS: BASALT, DECAY/VESICULAR/ROUGH 456 332 [X] Perf. Method ELECTRIC SAW BASALT, GRAY HARD 528 [_] Screens Type Material BASALT, MEDIUM GRAY W/CLAY 531 533 Tele/pipe Slot CLAY, MARINE GRAY/GREEN/BLUE 533 Size Casing/liner To Size Number Diam. From BLUE WATER DRILLING CO. (503) 868-7878 LINER .1X7" 36 485 465 Completed 09/22/00 .1X7# 72 LINER Date started 09/20/00 505 545 (unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information (8) WELL TESTS: Minimum testing time is 1 hour reported above are true to my best knowledge and belief. Test type AIR WWC Number Drill stem Draw-Date Tine Yield GPM at down 1 hr. 545 57.5 (bonded) Water Well Constructor Certification: I accept respon-540 2 57.5 sibility for the construction, alteration, or abandonment work 525 57.5 performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This Depth Artesian Flow Found Temperature of water 52F report is true to the best of my knowledge and belief. By whom _____ Was water analysis done? NO WWC Number 1438 Reason for water not suitable for use <u> Pausuur</u> S Signed / Date 09/22/00 Depth of strata

State of Oregon