$3_{\text{State Well No.}} 4/3w - 33 \text{K}$

NOTICE TO WATER WELL CONTRACTOR. OF IN THE ORIGINAL WELL REPORT of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 7340TE ENGINEER FOR OREGON within 30 days from the date of well completion.

G-3898

State Permit No.

The same of the sa			
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes □ No If yes, by whom? Yield: 75 gal./min. with 0 ft. drawdown after 6 hrs.		
Name Howard Bud Raker			
Address RT / BY23/			
Dayron, ore	" "		,,
(2) LOCATION OF WELL:	n n		"
Country V area to 1/2 miles 50	Bailer test gal./min. with ft. drawdown after hrs.		
County / Am h / / Driller's well number 5 8	Artesian flow g.p.m. Date		
14 14 Section 3 3 T. 4 5 R. 3 W.M. Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis	made? 🔲 🤉	es No
bearing and distance from Section of Subdivision corner	(12) WELL LOG: Diameter of well below of	asing	0
	Depth drilled 2/9 ft. Depth of completed w	rell 2/	9 ft.
	Formation: Describe by color, character, size of mater show thickness of agulfers and the kind and nature of		cture, and
	show thickness of aguifers and the kind and nature of stratum penetrated, with at least one entry for each	the materi change of ;	al in each formation.
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):	TIDOSI	111011	
Well	Process Class		30
If abandonment, describe material and procedure in Item 12.	Disservan	30	60
	Sandy Cary	60	62
(4) PROPOSED USE (check): (5) TYPE OF WELL:	DINGCON	67	205
Domestic Industrial Municipal Rotary Driven Cable Jetted	Black Sand	205	211
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐	Blue Clay	211	219
(C) CACING INCMALLED.	0/06 6/4/		217
			-
" Diam. fromft. toft. Gage		-	
" Diam. fromft. to ft. Gage		-	
ft. toft. Gage		1	
(7) PERFORATIONS: Perforated? Ves No		1	
		-	-
11.			
Size of perforations /4 in. by 6 in.		+ i	} -
periorations from			
240 perforations from 8 ft. to 2 ft.			, ,
perforations from ft. to ft.			-
perforations fromft, tof			
perforations from ft. to f			
(8) SCREENS: Well screen installed? ☐ Yes ☑ No		+	
Manufacturer's Name	•••	+ -	
Model No.	PARTIE CONTROL		
Diam Slot size Set from ft. to ft.	Work started 9 - 20 19 6 Completed	10-2	\$ 1966
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well	- 10	1966
(9) CONSTRUCTION:	(13) PUMP:		
	(10) I CMI		
Well seal-Material used in seal Cement	Manufacturer's Name	***************************************	***************************************
Depth of seal ft. Was a packer used? Cemen!	Type:	. H.P	A. L./EFEEEEFL/FE3.1541.FFK
Diameter of well bore to bottom of seal in.	Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes No Depth			
Was a drive shoe used? ☐ Yes ☐ No 3/1	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report is
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	and to the best of my knowledge and belief.	. , , (
Gravel placed from ft. to ft.	- NAME GIVE WATER Dri	1114	7. F
Did any strata contain unusable water? Yes No		Type or print) /
Type of water? depth of strata	Address K 1 13 X 15 119	LUM	1
Method of sealing strata off	Drilling Machine Operator's License No.	764	
(10) WATER LEVELS:	Diming machine Operator & Littlefise 140,	11	
	[Signed] (190641 She	Wan	√ S>
Static level 30 ft. below land surface Date/6-28.	(Water Well Contractor) /	/
Artesian pressure lbs. per square inch Date	Contractor's License No. 7 Date	<u>ā</u>	, 19 ./ (