

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED

JUN 2 1966

WATER WELL REPORT

STATE OF OREGON ENGINEER (Please type or print)

YAMH 5495

State Well No. 4/3W-34E
State Permit No.

(1) OWNER:

Name Clayton Trent
Address RT 1 Box 232 Dayton, Ore

(2) LOCATION OF WELL:

County Yamhill Driller's well number 36
SW 1/4 NW 1/4 Section 34 T. 45 R. 34 W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other
Rotary Cable Dug Driven Jetted Bored

(5) TYPE OF WELL:

(6) CASING INSTALLED:

Threaded Welded
10" Diam. from 0 ft. to 203 ft. Gage 14
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used Touch
Size of perforations 6 in. by 1/4 in.
470 perforations from 163 ft. to 203 ft.
100 perforations from 63 ft. to 103 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal cement
Depth of seal 18 ft. Was a packer used? Band
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel: 3/4"
Gravel placed from 18 ft. to 200 ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 15 ft. below land surface Date 5-1-66
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Driller
Yield: 500 gal./min. with 120 ft. drawdown after 6 hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 0
Depth drilled 202 ft. Depth of completed well 202 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	1
Brown Clay	1	30
Blue Clay	30	50
Sandy Clay-Blue	50	65
Blue Clay-sandy	65	93
Fine Sand	93	105
Blue Clay	105	165
Light Sand & gravel	165	172
Blue Clay	172	194
Sand & Fine gravel	194	202

Work started 12-15 1966 Completed 5-1 1966
Date well drilling machine moved off of well 1-13 1966

(13) PUMP:

Manufacturer's Name JACO 221
Type: Turbine H.P. 40

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Blue Water Drilling Co.
(Person, firm or corporation) (Type or print)
Address RT 1 Box 75 Dayton, Ore
Drilling Machine Operator's License No. 337
[Signed] Robert E. Hubbard
(Water Well Contractor)
Contractor's License No. 417 Date 5-29, 1966