STATE OF OREGON

WATER WELL REPORT (as required by ORS 537.765)

YPE or PRINTING RESOURCES DEPT.

	SALEM OREGON	(for official use only)	_
(1) OWNER:	(10) LOCATION OF WELL by legal	_	
Name Wade Miller	County Yamhill NE 14 SE 14 o		_ of
Address Rte. 2 Box 18	Township 45 (Township is North or South), Range 4W	Panga is Fast or West)	M.
City McMinnville State Or.	Tax Lot Block Subdivision	trange is Dast of West,	
(2) TYPE OF WORK (check):	MAILING ADDRESS OF WELL (or nearest address) Same		_
`````	·		_
New Well 🖾 Deepening 🗆 Reconditioning 🗀 Abandon 🗆  If abandonment, describe material and procedure in Item 12.			_
	(11) WATER LEVEL of COMPLET	ED WELL.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 63	ED WEEL.	Et.
Rotary Air Driven Domestic Kal Industrial Municipal Thermal:	Depth at which water was first found 55 ft. Static level 36 ft. below land surface. Date Sept. 21		
Rotary Mud 🛣 Dug 🔲 Irrigation 🗆 Withdrawal 🗋 Reinjection 🗅 Other:	Artesian pressure lbs. per square inch. Date		
Piezometric Grounding Test			_
CACING INCOMILED.		v casing0 f completed well 85	
$ \begin{array}{c cccc} \textbf{(5)} & \textbf{CASING INSTALLED:} & \textbf{Steel} &  \overline{} & \textbf{Plastic} & \square \\ & \textbf{Threaded} & \square & \textbf{Welded} & \square \\ \end{array} $	Depth drilled 55 ft. Depth of Formation: Describe color, texture, grain size and structure of		ft.
6	and nature of each stratum and aquifer penetrated, with at le	east one entry for each change	e of
	formation. Report each change in position of Static Water-bearing strata.	er Level and indicate princi	paı
LINER INSTALLED: Steel   Plastic	MATERIAL.		—
		From To SWL	
ft. of Gauge	Topsoil	0 2 2 2 13	—
(6) PERFORATIONS: Perforated?   Yes  No	Brown Clay		—
Size of perforations in. by in.	Brown & Yellow Clay	13 18	:
perforations from	Blue Clay Blue Silty Clay	18 55 55 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 55 62 62 62 62 62 62 62 62 62 62 62 62 62	
perforations from		62 68	
perforations from	Fine Blue & Brown Sand	68 82	—
	Fine Blue Sand		
(7) SCREENS: Well screen installed?   Was □ No  Manufacturer's Name  Johnson	Med. Blue & Green gravel	82 85	
Type Stainless Steel Model No.			_
Diam	<u> </u>		
Diam. Slot Size Set from ft. to ft. to ft.			—
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			_
Was a pump test made?   Yes  No If yes, by whom?			_
J: gal./min. with ft. drawdown after hrs.			
u u u			
Air test 20 gal./min. with drill stem at 75 ft. 6 hrs.	<u> </u>		
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
uperature of water 54 Depth artesian flow encountered ft.	- Comt 1h		
(9) CONSTRUCTION: Special standards: Yes \( \subseteq \) No \( \bar{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\exiting{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tinit}\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\tinit}}\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex{\tex		ed Sept. 21-84	=
Well seal—Material used	Date well drilling machine moved off of well Sept.	21 <b>,</b> 1984 19	
Well sealed from land surface to 24	(unbonded) Water Well Constructor Certifica	ation (if applicable):	
Diameter of well bore to bottom of seal	This well was constructed under my direct supervision. Materials used and		
Diameter of well bore below seal	information reported above are true to my best kno	wledge and belief.	
Amount of sealing material	[Signed]		
How was cement grout placed? Hole was clean & dry, grout	(I I. ) W W. II C		
introduced from bottom up.	(bonded) Water Well Constructor Certification:  Bond 28046278 (number) Issued by: Western Surety (Surety Company Name)		
Was pump installed?	(number) (Surety Company Name) On behalf of James G. Wilcox (type or print name of Water Well Constructor)		
Was a drive shoe used?   Yes INO Plugs Size: location ft.			
Did any strata contain unusable water?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:		
Method of sealing strata off	Common Marine M. Lilingon		
Was well gravel packed? X Yes No Size of gravel: 3/.dPea	(Water Well Construct		•••••
Gravel placed from	(Dated)		
NOTICE TO WATER WELL CONSTRUCTOR	WATER RESOURCES DEPARTMENT,	SP*46866-	 690