NOTICE TO WATER WELL CONTRAGO The original and first copy of this report are to be filed with the OCT - 2 197 TATE OF OREGON

STATE ENGINEER, SALEM, OREGONTO RESOURCES (Blease type or print) within 30 days from the date ATER RESOURCES (Blease type or print) of well completion.

SALEM, OREGONTO write above this line)



State Well No. 5.5/34-21

State	Permit	No.	

(1) OWNER: Name J. W. Magle	(10) LOCATION OF WELL: County 4 and Well Driller's well number 398		
Address It / Datton Orel	21 50 700		
A Compression			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) THAMED LEWIST OF LATE		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.		
Rotary Driven D	Depth at which water was first found 60 ft.		
Cable	Static level 40 ft. below land surface. Date 9-8-75		
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded 250 Threaded Welded 250 Threaded Welded 250 Threaded Threaded Welded 250 Threaded Threaded Welded 250 Threaded Threaded Welded 250 Threaded Th	Depth drilled /3 / ft. Depth of completed well /3 / ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used	MATERIAL From To SWL		
Size of perforations in. by in.	top soil 0 2		
perforations from ft. to ft.	linouan clay 2 20		
perforations from ft. to ft	blue clay 20 60		
perforations from ft. to ft.	June Orende 60 70		
(7) SCREENS: Well screen installed? Yes \(\subseteq No	medium sand 10/15		
Manufacturer's Name 107243	Januar 4 970 vet 115 /25		
Type Model No.	vent reary 125 1.31		
Diam/0" ID slot size 200 Set from 115 ft. to 125 ft.			
Diam, Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes \(\subseteq \) No. If yes, by whom \(\subseteq \) Wield: \(\subseteq \subseteq \) gal./min. with \(\subseteq \) ft. drawdown after \(\omega \)? hrs.			
" - " "			
<u>" " " " " " " " " " " " " " " " " " " </u>			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
erature of water Depth artesian flow encountered ft.	Work started 9- / 19 75 Completed 9- /0 19 75		
(9) CONSTRUCTION:	Date well drilling machine moved off of well 9-15 1975		
Well seal-Material used Charles	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my		
Diameter of well bore to bottom of seal in.	best knowledge and belief.		
Diameter of well bore below seal in.	[Signed] Nobert & helpundate 10 1 19 15		
Number of sacks of cement used in well seal 20 sacks	Drilling Machine Operator's License No		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is		
of waterlbs./100 gals.	true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes ¶No Plugs Size location ft.	Name Blue W ATer Irilling Co.		
Did any strata contain unusable water? Yes No	PT/RV 2 DAY TALE (Type of print)		
Type of water? depth of strata	Address 1 10 / 15 1/17 100 C		
Method of sealing strata off Was well gravel packed? ☑ Yes ☐ No Size of gravel:	[Signed] Robert & Melburn (Water Well Contractor)		
Gravel placed from 25 ft. to 3 ft.	Contractor's License No. 4/1 Date 10-1 1925		
	Total Control of the		