STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

YAMH 57243

		Page 1 of 1
VELL I.D. LABEL# I	119342	
START CARD #	1028305	
ORIGINAL LOG#		

(1) LAND OWNER Owner Well I.D. 2950, WELL 7			
First Name Last Name	(9) LOCATION OF WELL (legal description)		
Company FOXGLOVE PROPERTIES LLP	County YAMHILL Twp 3.00 S N/S Range 3.00 W E/W V		
Address 6555 NE HILLTOP LANE City DAYTON State OR Zip 97114	Sec 33 NE 1/4 of the NW 1/4 Tax Lot 316		
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot Lat ° ' " or 45.27068000 DMS or D Long ° ' " or -123.06678000 DMS or D C Street address of well Nearest address		
(2a) PRE-ALTERATION	Long or 1 or -123.06678000 DMS or D		
Dia + From To Gauge Sti Piste Wid Thrd	Street address of well Nearest address		
Casing:	6555 NE HILLTOP LANE, DAYTON		
Material From To Amt sacks/lbs			
Seal:	(40) CELATIC VIVATED I DIVEL		
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWI (nsi) + SWI (ft)		
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration		
Reverse Rotary Other	Completed Well 10/1/2015 86		
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?		
Industrial/ Commercial Livestock Dewatering			
	WATER BEARING ZONES Depth water was first found 101.00		
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	9/28/2015 101 104 0.5 82		
Depth of Completed Well 309.00 ft.	9/28/2015 204 207 8.5 82		
BORE HOLE SEAL sacks/	10/1/2015 274 299 65 86		
Dia From To Material From To Amt lbs			
10 0 262 Bentonite Chips 0 121 77 S			
6 262 309 Calculated 55 Cement 121 262 48 S			
Calculated 37	(11) WELL LOG Ground Elevation 905.00		
How was seal placed: Method A B C D E	Material From To		
Other POUR/PROBE/HYDRATE	Top soil w/cobbles 0 6		
Backfill placed from ft. to ft. Material	Clay, red w/some decayed basalt 6 26		
Filter pack from ft. to ft. Material Size	basalt, soft gray w/decayed color mix 26 90		
	basalt, medium gray 90 101		
Explosives used: Yes Type Amount	basalt, medium gray w/some decay 101 104		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	basalt, medium to hard gray 104 130		
Proposed Amount Actual Amount	basalt, medium to hard gray 104 130		
(6) CASING/LINER	basalt, decayed brown 130 133		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	basalt, hard gray 133 189 basalt, very hard gray 189 204		
(e) (6 × 2 262 .25 (e) (× 1	basalt, very hard gray 189 204 basalt, soft darker gray, w/wood 204 207		
0 4 9 309 SCH 40 0 0 X	basalt, med gray w/some vesicular 207 218		
	basalt, very hard gray 218 274		
	basalt, soft black/dark gray 274 281		
	basalt, medium gray vesicular 281 292		
Shoe Inside Outside Other Location of shoe(s) 262	basalt, soft gray, a bit broken, w/vesic 292 299		
Temp casing Yes Dia 10 From 0 To 6	basalt, very hard gray 299 309		
(7) PERFORATIONS/SCREENS			
Perforations Method circular saw			
Screens Type Material	Date Started9/28/2015 Completed 10/1/2015		
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	(bd.d) Weden Well Constructor Confidentian		
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification I certify that the Explored Well Duthe construction, deepening, alteration,		
Perf Liner 4 278 308 .1 7 54	abandonment of this well is in compliance with Oregon water supply v		
	construction standards. Materials used and information reported above are true		
	the best of the chowledge and belief.		
	License Number Date		
(8) WELL TESTS: Minimum testing time is 1 hour			
· · ·	Signed SALEM, OR		
	(bonded) Water Well Constructor Certification		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 65 308 1	I accept responsibility for the construction, deepening, alteration, or abandoni		
65 275 1.5	work performed on this well during the construction dates reported above. All work		
65 259 1.5	performed during this time is in compliance with Oregon water supply well		
	construction standards. This report is true to the best of my knowledge and believe		
Temperature 53 °F Lab analysis Yes By TDS arrount 28 Property 19 P			
Water quality concerns? Yes (describe below) TDS amount 38 ppm From To Description Amount Units	License Number 1438 Date 17/7/2015		
	Signed DAVID PAYSINGER (E-filed) hund Kansur		
	Contact Info (optional) bluewaterdrilling.com 503 868 7878		
ORIGINAL - WATER RESOURCES I	DEPARTMENT		