STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

YAMH 57394

2/25/2016

WELL I.D. LABEL# L START CARD# ORIGINAL LOG # YAMHILL 57192

	1 450 1 01 2
119327	
1029606	
YAMHILI.	57192

(1) LAND OWNER Owner Well I.D. 2977						
First Name Last Name	(9) LOCATION OF WELL (legal description)					
Company ROBINSON FARM LLC	County YAMHILL Twp 5.00 S N/S Range 4.00 W E/W WM					
Address POB 100	Sec 7 SE 1/4 of the NE 1/4 Tax Lot 100					
City AMITY State OR Zip 97101 2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot					
2) 1112 01 ((0)111	Tax Map Number Lot Lat " or DMS or DD Long " or DMS or DD					
X Alteration (complete 2a & 10) Abandonment(complete 5a) 2a) PRE-ALTERATION	Long DMS or DD					
Za) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address					
Casing:	NONE, NEXT TO 9950 SW RIVERBEND RD, MCMINNVILLE					
Material From To Amt sacks/lbs						
Seal:						
(3) DRILL METHOD	(10) STATIC WATER LEVEL					
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)					
Reverse Rotary Other	Existing Well / Pre-Alteration 2/10/2016 24					
	Completed Well 2/10/2016 24					
4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?					
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found					
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)					
5) BORE HOLE CONSTRUCTION Special Standard (Attach copy						
Depth of Completed Well 98.00 ft.	1					
BORE HOLE SEAL sacks/	,					
Dia From To Material From To Amt lbs						
8 0 98	1					
Calculated						
Calculated	Ground Elevation					
How was seal placed: Method A B C D E	Material From To					
Other						
Backfill placed from ft. to ft. Material						
Filter pack from 60 ft. to 98 ft. Material 3/8" Size pea gravel						
Explosives used: Yes Type Amount						
5a) ABANDONMENT USING UNHYDRATED BENTONITE						
Proposed Amount Actual Amount						
6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd						
6 3 98 5CH 4(O X						
Shoe Inside Outside Other Location of shoe(s)						
Temp casing Yes From To						
7) PERFORATIONS/SCREENS						
Perforations Method circular saw						
Screens Type Material	Date Started <u>2/10/2016</u> Completed <u>2/10/2016</u>					
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification					
Screen Liner Dia From To width length slots pipe size Perf Liner 6 82 97 6 0.1 196	I certify that the work I performed on the construction, deepening, alteration, or					
Peti Linei 0 82 97 0 0.1 190	abandonment of this well is in compliance with Oregon water supply well					
	construction standards. Materials used and information reported above are true to					
	the best of my knowledge and belief.					
	License Number Date					
O) WELL TECTS. Minimum Anating dinasin 1 have						
8) WELL TESTS: Minimum testing time is 1 hour	Signed					
Pump Bailer • Air Flowing Artesian						
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.					
60 97 4.5						
Temperature 54 °F Lab analysis Yes By	License Number 1438 Date 2/11/2016					
Water quality concerns? Yes (describe below) TDS amount 148 ppm From To Description Amount Units						
From To Description Amount Units	Signed DAVID PAYSINGER (E-filed)					
	Signed DAVID PAYSINGER (E-filed) Contact Info (optional) bluewaterdrilling.com 503 868 7878					
	Contact into (optional) <u>bluewaterurining.com</u> 303 808 /8/8					
	<u>1</u>					

YAMH 57394

WELL I.D. LABEL# L START CARD #

L	119327	
#	1029606	
4	YAMHILL	57192

	2/25/2016	Ol	RIGINAL LOG # YAI	MHILL 5	57192
2a) PRE-ALTERATION	Water C	Quality Concer	ns		
Dia + From To Gauge Stl Plstc Wld Thrd	From	То	Description	Amo	ount Units
		T	Description		
Material From To Amt sacks/lbs					
5) BORE HOLE CONSTRUCTION		ATIC WATE			
DODE HOLE SEAL	SWL Da	ite From	To Est Flow	SWL(psi)	+ SWL(ft)
Dia From To Material From To Amt	acks/				
				1	
Calculated					
				1	
Calculated					
Calculated					
Calculated					
FILTER PACK From To Material Size	(11) WE	LL LOG			
FIOIII 10 Material Size		Material		From	To
		11111011111			
6) CASING/LINER	<u> </u>			+	
				+	
Casing Liner Dia + From To Gauge Stl Plstc Wld T	hrd				
	¬ I⊢				
	- 				
	-				
				_	
	⊐ I⊢——				
				+	
7) PERFORATIONS/SCREENS					
	m.i. /			+	
2	Tele/ ipe size				
Trom 25 widen length					
	Comme	nts/Remarks	5		
(a) xxxx x mxqxq x x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Install lin	er and redevelop	with air		
(8) WELL TESTS: Minimum testing time is 1 hour					
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) []				
	1 []				
] []				
	1 11				