| ORIGINAL<br>File Original, and<br>Duplicate with the<br>STATE ENGINEER,<br>SALEM, OREGON<br>DUL 16 1956<br>STATE OF OF   | EGON State Vell No. 4/44 - 27 D (I)<br>Fill In State Permit No. 259   |
|--|---|
| (1) OWNER: STATE ENGINEER<br>Name J. L. WILGOXM, OREGON  | (10) WELL TESTS: <b>OBSERVATION WELL</b><br>Was a pump test made?  Yes Y No If yes, by whom?  |
| Address P.O. Box 569 McMinnville, Ore.   | Yield:     gal./min. with     ft. draw down after     hrs.       """"""""""""""""""""""""""""""""""""   |
| (2) LOCATION OF WELL:  | Artesian flow g.p.m.  |
| County Yamhill Owner's number, if any-   | Shut-in pressure Ibs, per square inch.  |
| R. F. D. or Street No. Route # 1   | Compressor 75 g.p.m. with 42 ft. drawdown   |
| Bearing and distance from section or subdivision corner 330' So.   | Temperature of water Was a chemical analysis made? Ves No   |
| Section # 27 of Twp.4 S Range 4 W. in  | Was electric log made of well?  Yes No  |
| W.M. of Yamhill County   | (11) WELL LOG:  |
|  | Diameter of well, <u>10<sup>11</sup></u> inches.  |
| (3) TYPE OF WORK (check):  | Total depth 120 <sup>t</sup> ft. Depth of completed well 120 ft.  |
| andonment, describe material and procedure in Item 11.   | Formation: Describe by color, character, size of material and structure, and<br>show thickness of aquifers and the kind and nature of the material in each<br>stratum penetrated, with at least one entry for each change of formation. |
| (5) EQUIPMENT:   | Oft. to 2 ft. Top Soil  |
| Domestic 📋 Industrial 🗌 Municipal 🔲 Rotary 🖾 Cable 🗌   | 2" 18 " Brown Clay  |
| Urrigation K Test Well C Other Dug Well  | 18 27 3117 018  |
|  | 27 " 69 " Blue Clay<br>69 " 85 " Sand   |
| CASING INSTALLED: If gravel packed   | 85 " 92 " Clay  |
| readed Welded T Gage Diameter confrom to   | 92 " 115 " Gravel & coarse Sand   |
| FROMO ft. to 120ft.10Diam. Std. Wall of Bore 20" ft. 0 ft.   | 115 " 120 " Clay  |
|  | 2   |
| 11         11< | 1) I)   |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1   | 11 11<br>   |
| >> >> >> >> >> >> >> >> >> >> >> >> >>   | n n   |
| Type and size of shoe or well ring Size of gravel: $3/1$ , P   | , , , , , , , , , , , , , , , , , , ,   |
| Describe joint   |   |
| (7) PERFORATIONS:  | i) i) iii iii iii iii iii iii iii iii i   |
| Type of perforator used Torch  | n n   |
| SIZE of perforations ]2 in., length, by $\frac{1}{2}$ in   |   |
| FROM92 ft. to 120 ft. 10 perf per foot 10 No. of rows  |   |
|  |   |
|  |   |
| 29<br>29 29 29 29 29 29 29 29 29 29 29 29 29 2   | ) )) ))   |
| SCREENS:   | <u> </u>  |
| Give Manufacturer's Name, Model No. and Size   | ) I)  |
|  |   |
| J CONSTRUCTION:  |   |
| Was a surface sanitary seal provided? X Yes I No To what depth 18 ft   | Ground elevation at well site feet above mean sea level.  |
| Were any strata sealed against pollution? 🗌 Yes 🔲 No<br>If yes, note depth of strata   | Work started 7/10 1957, Completed 7/13 1957   |
| FROM 0 ft. to 18 ft.   | Well Driller's Statement:   |
| 29 22 19<br>19   | This well was drilled under my jurisdiction and this report is  |
| METHOD OF SEALING Coment Grout & Clay  | true to the best of my knowledge and belief.  |
| (9) WATER LEVELS:  | NAME Wilcox Drilling Co.<br>(Person, firm, or corporation) (Typed or printed)   |
| Depth at which water was first found 69 f  |   |
| Standing level before perforating f  |   |
| Standing level after perforating 32 f  | Driller's well number   |
| Log Accepted by:   | [Signed] / J. J. (Well Driller)   |
| [Signed] L. J. Juley Dated July 13, 195  | License No  |
| Owner  | :/  |
|  |   |