

(as required by ORS 537.545 &amp; 537.765 and OAR 690-205-0210)

3/6/2025

## (1) LAND OWNER

Owner Well I.D. \_\_\_\_\_

First Name MARKLast Name STOCKS

Company \_\_\_\_\_

Address 9956 SW RIVERBEND RDCity MCMINNVILLEState ORZip 97128

## (2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

## (2a) PRE-ALTERATION

Casing:        Dia + From To Gauge Stl Plstc Wld Thrd

Material From To Amt sacks/lbs

Seal:       

## (3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud  
☐ Reverse Rotary ☒ Other UNDER-REAMING

## (4) PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Community  
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering  
☐ Thermal ☐ Injection ☐ Other \_\_\_\_\_

## (5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)Depth of Completed Well 88.50 ft.

BORE HOLE			SEAL				sacks/
Dia	From	To	Material	From	To	Amt	lbs
10	0	40	Bentonite Chips	0	40	18	S
6	40	88.5			Calculated	18	
					Calculated		

Seal placement method: ☐ A ☐ B ☐ C ☐ D ☐ E ☒ Other: POURED AND PROBED

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_

Explosives used: ☐ Type \_\_\_\_\_ Amount \_\_\_\_\_Seal Placement Begin Date 3/5/2025 Begin Time 12 00

## (5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount

Actual Amount

## (6) CASING/LINER

C/L	Dia	+	From	To	Gauge	Mat. Type	Wld	Thrd	Shoe Location
C	6	<input checked="" type="checkbox"/>	1.5	80.5	0.25	ST	<input checked="" type="checkbox"/>		IN. 80.5
L	5		69.5	83.5	0.188	ST	<input checked="" type="checkbox"/>		OTH. 88.5

Temp casing ☒ Yes Dia 10 From + ☐ 0 To 5

## (7) PERFORATIONS/SCREENS

Perforations Method \_\_\_\_\_

Screens Type JohnsonMaterial Stainless Steel

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ Pipe size
Screen	Liner	5	83.5	88.5	.02	3	10000	Telescope

## (8) WELL TESTS: Minimum testing time is 1 hour

Type of Test	Yield (gal/min)	Drawdown	Drill Stem/ Pump Depth	Duration (hr)
Air	25		80	1

Temperature 54 °F Lab analysis ☐ Yes By \_\_\_\_\_Water quality concerns? ☐ Yes (describe below) TDS amount 175 ppm

From	To	Description	Amount	Units

## (9) LOCATION OF WELL (legal description)

County YAMHILL Twp 5.00 S N/S Range 4.00 W E/W WMSec 7 NE 1/4 of the NE 1/4 Tax Lot 102

Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_

Lat \_\_\_\_\_ " or 45.15524100 DMS or DD

Long \_\_\_\_\_ " or -123.22117067 DMS or DD

☒ Street address of well ☐ Nearest address9956 SW RIVERBEND RD MCMINNVILLE OR 97128

## (10) STATIC WATER LEVEL

Existing Well / Pre-Alteration	Date	SWL (psi)	+	SWL (ft)
Completed Well	<u>3/5/2025</u>			<u>25</u>
Flowing Artesian? <input type="checkbox"/>		Dry Hole? <input type="checkbox"/>		

## WATER BEARING ZONES

Depth water was first found 75.00

SWL Date	From	To	Est Flow	SWL (psi)	+	SWL (ft)
<u>3/5/2025</u>	<u>75</u>	<u>88.5</u>	<u>35</u>			<u>25</u>

## (11) WELL LOG

Ground Elevation 157.58 FT

Material	From	To
Topsoil	0	2
Clay Brown	2	30
Clay Grey	30	55
Sand Black Heaving	55	60
Clay Grey Silty	60	75
Gravel Med	75	78
Clay Brown Sandy	78	80
Gravel Med	80	88
Clay Grey	88	88.5

Construction

Begin Date 3/3/2025 Begin Time 12 00 End Date 3/5/2025

## (unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 2090 Date 3/6/2025Signed JACK BOLLER (E-filed)

## (bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1394 Date 3/6/2025Signed EUGENE MACK (E-filed)Drilling Company: Mack Drilling Company Inc

Well was under reamed to a depth of 88.5 foot. Milled off inside of UR shoe to 6 inch. Packer was used at the top of the 5 inch liner.

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

**YAMH 59681**

**3/6/2025**

## Map of Hole

### STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

### Oregon Water Resources Department

725 Summer St NE, Salem OR 97301  
(503)986-0900



#### LOCATION OF WELL

Latitude: 45.15524100 Datum: WGS84

Longitude: -123.22117067

Township/Range/Section/Quarter-Quarter Section:

WM5.00S4.00W7NENE

Address of Well:

9956 SW RIVERBEND RD MCMINNVILLE OR 97128

**Well Label: 155989**

**Printed: March 6, 2025**

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

