

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED STATE OF OREGON MAY 7 1968

STATE OF OREGON (Please type or print) (Do not write above this line)

YAMH 6381

State Well No. 5/3w-5c

State Permit No. G-4389

(1) OWNER:

Name Carol Iverson Address RT1 BX34 Dayton, Ore.

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded [x]

8" Diam. from 0 ft. to 19 ft. Gage 14

PERFORATIONS:

Perforated? [x] Yes [] No.

Type of perforator used Torch Size of perforations 1/4 in. by 6 in. 200 perforations from 50 ft. to 89.9 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 8 ft. below land surface Date 5-1-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [] No If yes, by whom? Driller Yield: 250 gal./min. with 58 ft. drawdown after 8 hrs.

(10) CONSTRUCTION:

Well seal—Material used Cement Depth of seal 18 Diameter of well bore to bottom of seal 16 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [] No Size of gravel: 3/4 Gravel placed from 20 ft. to 99 ft.

(11) LOCATION OF WELL:

County Yamhill Driller's well number 98 1/4 Section 5 T.55 R.30 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 0

Depth drilled 99 ft. Depth of completed well 99 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: TOP SOIL (0-2), BROWN CLAY (2-30), BLUE CLAY (30-60), BLACK SAND (60-75), BLUE CLAY (75-99).

Work started 4-17 1968 Completed 5-1 1968

Date well drilling machine moved off of well 4-27 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John D. Clow Date 5-6 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 464

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Blue Water Drilling Co. (Person, firm or corporation) (Type or print)

Address RT1 BX 25 Dayton, Ore.

[Signed] Robert S. Wilburn (Water Well Contractor)

Contractor's License No. 417 Date 5-6 1968