NOTICE TO WATER WELL CONSTANT TO THE THE DATER WELL REPORT VAMA The original and finite or be JUL 28 1971 DATER WELL REPORT VAMA filed with the JUL 28 1971 State Well No. 5/3W-7			
filed with the JUL 201971 STATE ENGINEER, SALEM, OREGON OF THEER (Please type or print) within 30 days from the date date date (Do not write above this line) of well completion SALEM. OR 2001 (Do not write above this line)			
(1) OWNEB;	(10) LOCATION OF WELL:		
Name RAYMond W. Huinds	County YAMhi// Driller's well number		
Address 2.56.5 N. W. Bate PIACE	14 14 Section 7 T. 55	······	
Portland Oregon 97229	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well 🗶 Deepening 🗆 Reconditioning 🗔 Abandon 🗔			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found $1\%$		
Rotary Driven	Static level $4$ ft. below land surface. Date $7-5-71$		
Cable     Image: Source of the second s			
	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded D Welded	(12) WELL LOG: Diameter of well below casing		
6 " Diam. from 1-0 ft. to 65 ft. Gage 2.50	Depth drilled 177 ft. Depth of completed well 177 ft.		
	Formation: Describe color, texture, grain size and structure of materials;		
ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated?  Yes X No.	position of Static Water Level and indicate princ		
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	Soil	01	
perforations from ft. to ft.	CLAV (white)	1 3	
ft. to ft.	CLAY Brown1	3 18	
ft. to ft.	CIAY (Blue)	18 30	
(7) SCREENS: Well screen installed?	CIAY (Gray)	30 35	
(7) SCREENS: Well screen installed?  Yes No Manufacturer's Name	Clay (Brown)	35 46	
Type	Chry Red	46 50	
Diam Slot size Set from ft. to ft.	Rock (Weathered out) Rock (Partle Weather)	63 82	
Diam Slot size Set from ft. to ft.	Roct (Rroken)	82 96	
(8) WELL TESTS: Drawdown is amount water level is	Rock (Broken + Wenthed		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Reck (Broken)	105139	
Was a pump test made? 🗌 Yes 🖄 No If yes, by whom?	Nock (BASOIT)	139 142	
Yield: gal./min. with ft. drawdown after hrs.	lyock (Broken)	142 144	
	Kock (We Theredout)	144 150	
// // // // // // // // // // // // //	Rock (Broken)	156 156	
Bailor test 3.2 gal./min. with /13 ft. drawdown after / hrs.	100-15 D/7-30/1		
Artesian flow g.p.m.			
Depth artesian flow encountered ft.	Work started 6-30 19 7/ Complete	d 7-4 1971	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 7-5 1971		
	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Scage Colomon Date 7/12, 1971		
Well seal-Material used <u>Cement</u> <u>Frout</u> Well sealed from land surface to <u>65</u> ft.			
Diameter of well bore to bottom of seal in.			
Diameter of well bore below seal			
Number of sacks of cement used in well seal sacks	(Dialling Machine Operator)		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No		
Brand name of bentonite	Water Well Contractor's Cortification.		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? $\Box$ Yes <b>N</b> No Plugs Size: location	Name Robinson Eds Philling		
Did any strata contain unusable water?  Ves No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 4510 Dallas - Salem Huy,		
Method of sealing strata off	[Signed] George H. Rohinon		
Was well gravel packed?  Yes No Size of gravel:	(Water Well Contra	5117 51	
Gravel placed from ft. to ft.	Contractor's License No Date		
(USE ADDITIONAL SHEETS IF NECESSARY) SP+45656-119			

SF