

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to filed with the

RECEIVED JUL 25 1969 STATE ENGINEER SALEM OREGON

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Please type or print) Do not write above this line)

G4952

YAMH 6421

State Well No. 5/3W-8da

State Permit No. GR-7260 (Cert. GR-215)

well replaces old well and as

(1) OWNER:

Name Maurice Goodrich Address Rt 1 Box 51 Dayton, Ore

(11) LOCATION OF WELL:

County Yamhill Driller's well number 131 1/4 Section 8 T. 55 R. 30 W.M.

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Cable [x] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:

8" Diam. from 0 ft. to 100 ft. Gage 14

PERFORATIONS:

Type of perforator used torch Perforated? [x] Yes [ ] No Size of perforations 1/4 in. by 6 in. 160 perforations from 40 ft. to 60 ft. 250 perforations from 75 ft. to 100 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 12 ft. below land surface Date 7-10-69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [ ] No If yes, by whom driller Yield: 250 gal./min. with 60 ft. drawdown after 8 hrs.

(10) CONSTRUCTION:

Well seal—Material used cement Depth of seal 20 ft. Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [ ] Yes [x] No Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [ ] No Size of gravel: 3/4 Gravel placed from 20 ft. to 108 ft.

(12) WELL LOG:

Diameter of well below casing 0 Depth drilled 100 ft. Depth of completed well 100 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: brown clay (0-10), blue clay (10-45), black sand (45-50), blue clay (50-75), brown clay + gravel (75-87), blue clay (87-100).

Work started July 1 1969 Completed July 10 1969 Date well drilling machine moved off of well July 10 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert S. Helburn Date 7-23, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 337

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Blue Water Drilling (Person, firm or corporation) (Type or print) Address Rt 1 Box 75 Dayton, Ore

[Signed] Robert S. Helburn (Water Well Contractor)

Contractor's License No. 417 Date July 23, 1969