NOTICE TO WATER WELL CONTRACTOR.

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WEIL REPORT 3 1967

STATE OF OREGON 3 1967

(Please type or print) G 3842 EE State Permit No. .....

5/3w-16H

(1) OWNER:	(11) WELL TESTS: ON Drawdown is amount water level is lowered below static level	
Name Don Good Kuhn	Was a pump test made?  Yes □ No If yes, by whom?  \[ \frac{\text{Tri}}{cr} \]	
Address 1326 P1020 5T N.W.	Yield: 250 gal./min. with 40 ft. drawdown after	3 hrs.
Salem Ore.	" "	"
(2) LOCATION OF WELL:	" "	<u>"</u>
10 Land 11	Bailer test gal./min. with ft. drawdown after	hrs.
County / Um h / Driller's well number 67	Artesian flow g.p.m. Date	
1/4 1/4 Section / 6 T. S S R. 3 W.M.	Temperature of water Was a chemical analysis made?	Yes 🛮 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	2
	Depth drilled / 3 0 ft. Depth of completed well /2	ft.
	Formation: Describe by color, character, size of material and stru show thickness of aquifers and the kind and nature of the materi stratum penetrated, with at least one entry for each charge of	ial in each
(9) TYPE OF WORK (sheels).	MATERIAL FROM	TO
(3) TYPE OF WORK (check):	TOP Soil	
New Well Deepening Reconditioning Abandon	Brown Clay	40
andonment, describe material and procedure in Item 12.	Blue C/9/ 40	65
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Black Sand 65	12
Rotery C Driven C	\$10e C/QY 12	105
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Jetted ☐ Irrigation ☑ Test Well ☐ Other ☐ Cable ☑ Jetted ☐	Sand & Grave! 105	121
Irrigation Test Well Other Dug Bored	BINE C/44 121	185
(6) CASING INSTALLED: Threaded Welded		
10 " Diam. from 0 ft. to 125 ft. Gage 14		
"Diam. from		
ft. to		
(7) PERFORATIONS: Perforated? Yes   No		
Type of perforator used Torch		
Size of perforations /4 in. by 6 in.		
450 perforations from 80 ft. to 25 ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(a) CCDTTT1C		
(8) SCREENS: Well screen installed? ☐ Yes ☐ No		
Manufacturer's Name		
T Model No		
December 2015 Slot size Set from	Work started 2 - / 1967 Completed 2 - 24	1967
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well 2-16	1967
(9) CONSTRUCTION:	(13) PUMP:	
	(15) 1 CM1.	
Well seal—Material used in seal <u>Cemen</u>	Manufacturer's Name	
Depth of seal 8 ft. Was a packer used? 59 11 d	Type: H.P.	
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:	
Were any loose strata cemented off? ☐ Yes ☑ No Depth	Water Wen Contractor's Certification.	
Was a drive shoe used? ☐ Yes ☐ No	This well was drilled under my jurisdiction and this	report is
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	true to the best of my knowledge and belief.	<u>.</u> .
Gravel placed fromft. toft.	NAME Blue Water Dri // 19 (Person, firm or corporation) (Type or of in	·Co
Did any strata contain unusable water?   Yes		
Type of water? depth of strata	Address RT 1 BX 25 D GY Ton. Ore.	
Method of sealing strata off	Duilling Machine Operator's License No. 464	
(10) WATER LEVELS:	Drilling Machine Operator's License No.	
• •	[Signed] Nobert & helbarn	
Static level 40 ft. below land surface Date 2-2467	(Water Well Contractor)	10
Artesian pressure lbs. per square inch Date	Contractor's License No. 417 Date 2 - 27	, 194