RECEIVED TErnest Niederer

File Original and First Copy with the TATE ENGINEER STATE ENGINEER SALEM, OREGON ATE

WATER WELL REPORT

STATE OF OREGON G552

1 5/3W -32B1

SALEM, OREGON	State Permit No.		
(1) OWNER: SALEM. ORLGON(	(11) WELL TESTS: Drawdown is amount	water level	is
Name Clement Schrack	lowered below static le	evel	
Address			<del></del>
	Yield: gal./min, with ft. drawdow	n after	hrs.
	"	·	<del></del>
(2) LOCATION OF WELL:		4 4	* .
County Owner's number, if any—	Baller test 500 gal./min. with 40 ft. drawdow	n after	hrs.
1/4 1/4 Section T. R. W.M.	Artesian flow g.p.m. Date		<del></del>
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis ma	ade? 🔲 Ye	s 🗌 No
	(12) WELL LOG: Diameter of well	19	
	and a	/ ~~	inches.
	Depth drilled 120 ft. Depth of completed w		
	Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	ıl and struc the materic	cture, and
	stratum penetrated, with at least one entry for each c	hange of f	ormation.
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):	Tab Sail	1	/
New Well Deepening Reconditioning Abandon	Blue Clay		<u>«/</u>
If abandonment, describe material and procedure in Item 11.	Business Olan		4 2
	Blue Clay		Ei i
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Fine 1815et Soul	73	110
Domestic 🗌 Industrial 🗎 Municipal 🗍 Rotary 🕱 Driven 🗍	Sand Plant	71	40_
Irrigation Test Well   Other   Cable   Jetted   Dug   Bored	Dinay Dive Clay	1/8	7/
July Dored G	Black Sand (Med to coarse)	-7/	83
(6) CASING INSTALLED: Threaded Welded	Sand mixed wif Fine Gravel	83	104
9 "Diam. from 0 ft. to 107 ft. Gage 4" W.z.//	Hard Gray Clay	104	120
(7) PERFORATIONS: Perforated?   Yes   No			
Type of perforator used Tarch			
SIZE of perforations in. by /2 in.			
288 perforations from 77 ft. to 107 ft.			
perforations fromft. toft.			
perforations from ft. to ft.	141.5		
perforations fromft. toft.			
perforations fromft. toft.			
(8) SCREENS: Well screen installed ☐ Yes ☐ No			
Manufacturer's Name			
Type Model No.			
Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.	Work started July 27, 1962 Completed Ju	1.00	10/2
(4) (4) (4)	John John Sompreed Of	17311	1002
(9) CONSTRUCTION:	(13) PUMP:		
Was well gravel packed? Yes 🗆 No Size of gravel:	Manufacturer's Name Wester h Se	2421	Tombr
Gravel placed from 2 ft. to ft.	m T	i.p2_	
Was a surface seal provided? XYes \( \sum \) No To what depth?ft.	· UNBINL		
Material used in seal-Coment Grant & Puddled Olay	Well Driller's Statement:		
Did any strata contain unusable water?   Yes No	This well was drilled under my jurisdiction a	nd this re	eport is
Type of water? Depth of strata	true to the best of my knowledge and belief.		
Method of sealing strata off SFMR	NAME Wiley Drilling CO		
(10) WATER LEVELS:	(Person, firm, or prporation) (Type or print)		
	Address P. O. Box 549 McMinnville, Orce		
static level ft. below land surface Date 7/31/62	The state of the s	##±:€~++¥• Z++±+++	***********
Artesian pressure lbs. per square inch Date	Driller's well number		
log Accepted by:	the truly but	1711	•••
	[Signed] James & Miles 34 J. J.	M/1	
Signed] Date, 19	/- /- /- /- /- /- /- /- /- /- /- /- /-	. /	/ 1
( mas)	License/No Date Lug	kl.j,	19