

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

**RECEIVED**  
JUL 12 1966  
STATE ENGINEER

WATER WELL REPORT

STATE OF OREGON (Please type or print)

YAMHILL  
6826

State Well No. 5/4w-2

State Permit No.

(1) OWNER:

Name Victor Brown  
Address RT 2 Bx 87  
Dayton, Ore.

(2) LOCATION OF WELL:

County Yamhill Driller's well number 45  
1/4 Section 2 T. 55 R. 4W W.M.  
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal  Rotary  Driven   
Irrigation  Test Well  Other  Cable  Jetted   
Dug  Bored

(5) TYPE OF WELL:

(6) CASING INSTALLED:

Threaded  Welded   
10" Diam. from 0 ft. to 175 ft. Gage 1/4"  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated?  Yes  No  
Type of perforator used Torch  
Size of perforations 1/4 in. by 6 in.  
500 perforations from 125 ft. to 175 ft.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

(8) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Slot size Set from ft. to ft.  
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Cement  
Depth of seal 18 ft. Was a packer used? NO  
Diameter of well bore to bottom of seal 16 in.  
Were any loose strata cemented off?  Yes  No Depth  
Was a drive shoe used?  Yes  No  
Was well gravel packed?  Yes  No Size of gravel: 3/4"  
Gravel placed from 18 ft. to 175 ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? depth of strata  
Method of sealing strata off

(10) WATER LEVELS:

Static level 20 ft. below land surface Date 5-27-66  
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? Driller  
Yield: 610 gal./min. with 70 ft. drawdown after 8 hrs.  
" " " "  
" " " "  
Bailer test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m. Date  
Temperature of water Was a chemical analysis made?  Yes  No

(12) WELL LOG:

Diameter of well below casing 0  
Depth drilled 175 ft. Depth of completed well 175 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP Soil	0	1
sandy Brown clay	1	24
Blue clay	24	65
Black sand	65	75
Compacted sand	75	90
Blue clay	90	97
Brown clay	97	113
Fine sand + gravel	113	118
Blue clay	118	128
Black sand + gravel	128	175

Work started 5-2 1966 completed 5-23 1966  
Date well drilling machine moved off of well 5-23 1966

(13) PUMP:

Manufacturer's Name Jacuzzi  
Type: Turbine H.P. 50

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Blue Water Drilling  
(Person, firm or corporation) (Type or print)  
Address RT 1 Bx 75 Dayton, Ore  
Drilling Machine Operator's License No. 464  
[Signed] Robert S. Hubbard  
(Water Well Contractor)  
Contractor's License No. 417 Date June 6, 1966