

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report  
are to be filed with the

WATER WELL REPORT

SENW

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

STATE OF OREGON

State Well No. 5s/4w-7ae

RECEIVED

(Please type or print)  
(Do not write above this line)

YAMH  
6866

State Permit No. \_\_\_\_\_

NOV 9 1978

(1) OWNER:

Name Elmer Share WATER RESOURCES DEPT.  
Address Rt 1 Box 204 SALEM, OREGON  
McMinville Ore 97128

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other  Aquaculture

CASING INSTALLED:

12" Diam. from 0 ft. to 8.8 ft. Gage 250  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

PERFORATIONS:

Type of perforator used Torch Perforated?  Yes  No.  
Size of perforations 6" in. by 1/4 in.  
250+ perforations from 4.4 ft. to 8.8 ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(7) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Type \_\_\_\_\_ Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? Self  
Yield: 240 gal./min. with 40 ft. drawdown after 4 hrs.  
" " " " " "  
" " " " " "  
Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m.

Temperature of water 53° Depth artesian flow encountered \_\_\_\_\_ ft.

(9) CONSTRUCTION:

Well seal—Material used Concrete  
Well sealed from land surface to 19' ft.  
Diameter of well bore to bottom of seal 24 in.  
Diameter of well bore below seal 24 in.  
Number of sacks of cement used in well seal 16 sacks  
How was cement grout placed? 3 qt concrete  
Mixed according to letter of variance  
dated Oct. 26 1978. Signed by  
William McCall  
Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

Was well gravel packed?  Yes  No Size of gravel: 5" to 3/4"  
Gravel placed from 19' ft. to 8.8 ft.

(10) LOCATION OF WELL:

County Yamhill Driller's well number 3  
SW 1/4 NE 1/4 Section 7 T. 5 S R. 4 W W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

(11) WATER LEVEL: Completed well.

Depth at which water was first found 45 ft.  
Static level 35 ft. below land surface. Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

(12) WELL LOG:

Diameter of well below casing 24"  
Depth drilled 88 ft. Depth of completed well 88 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	3	
Subsoil	3	5	
Brown clay	5	28	
Blue clay	28	45	
Sand (Black medium)	45	67	
gravel (trout date for)	67	88	
Blue clay	88		

Work started \_\_\_\_\_ 19 \_\_\_\_\_ Completed Oct 20 1978  
Date well drilling machine moved off of well Oct 26 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Elmer Share Date Oct 20, 1978  
(Drilling Machine Operator)

Drilling Machine Operator's License No. \_\_\_\_\_

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.


Name \_\_\_\_\_ (Person, firm or corporation) (Type or print)

Address \_\_\_\_\_

[Signed] \_\_\_\_\_ (Water Well Contractor)

Contractor's License No. \_\_\_\_\_ Date \_\_\_\_\_, 19\_\_\_\_\_

YAMH 6866



*Water Resources Department*  
MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

1-800-452-7813  
PHONE 378-8455

October 9, 1978

Elmer E. Sharer  
Route 1 Box 204  
McMinnville, OR 97128

Dear Mr. Sharer:

As I advised you during your visit to this office on October 6, 1978, the use of concrete instead of cement grout will be permitted as a sealing material to fill the annular space of your irrigation well covered under Landowner's Bond No. SB 33006. The location of the proposed well is within the SW $\frac{1}{4}$  of the NE $\frac{1}{4}$  of Section 7, Township 5S, Range 4W W.M.

Permission is granted herewith to use concrete instead of cement grout in the annular seal of the well provided that the required seal interval is constructed with a 24" oversize drill hole and provided that it is cased with 12" diameter standard well casing. The annular seal must extend to a depth required by Oregon's well construction standards.

The concrete for use in the aforesaid well should consist of clean, hard, durable aggregate and not less than five(5) sacks of Portland cement per cubic yard of concrete. The maximum diameter of aggregate particles should not exceed 1 $\frac{1}{2}$  inches. The ratio of coarse aggregate to fine aggregate (passing No. 4 U.S. Standard Sieve) should be approximately one and one-half to one by volume but in any case should not exceed two to one nor be less than one to two.

The remainder of the well, other than the seal interval, should be constructed in accordance with the required Oregon well construction standards.

Sincerely,

WILLIAM B. McCALL  
Hydrogeologist

WBM:cah



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem Oregon 97301  
 (503) 986-0900  
 www.oregon.gov/owrd

# Application for Well ID Number

RECEIVED

JUN 6 2023

**Do not complete if the well already has a Well Identification Number.**

OWRD

**I. OWNER INFORMATION**

Current Owner Name (please print): HANS HENDGEN & JOELY WILLIAMSON  
 Mailing Address: 1271 NE HWY 99W PMB 418  
 City, State, Zip: MCMINNVILLE OR 97128  
 Mail Well ID to:  SAME AS ABOVE  In Care Of (C/O)  
 Name & Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_

**II. WELL LOCATION INFORMATION** (Please fill out as completely as possible)

Township: 5S (North / South) Range: 4W (East / West) Section: 7 SE 1/4 of the NW 1/4  
 Tax Lot (usually last 3-5 numbers of Tax Map #): 300 County YAMHILL  
 GPS Coordinates: \_\_\_\_\_  
 Street Address of Well, City: 10954 SW RIVER BEND RD  
 If the property had a different street address in the past: \_\_\_\_\_

**III. GENERAL WELL INFORMATION** (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): IRRIGATION  
 Date Well Constructed (or property built): 10/20/78 Total Well Depth: 88' Casing Diameter: 12"  
 Owner at time the well was constructed (if known): ELMER SHARER Well Report # (if known): 6866 YAMH  
 Other Information: \_\_\_\_\_

SUBMITTED BY (please print): JOELY WILLIAMSON  
 PHONE: 503-435-8395 EMAIL &/or FAX: HAHENDGENCONSTRUCTION@GMAIL.COM

To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite A, Salem, Oregon 97301.  
 Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.

For Official Use Only by the Oregon Water Resources Department:

Received Date:  
6-6-2023

Well Report Number:  
YAMH 6866

Well Identification #:  
L-151805