

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED JUL - 3 1970 STATE ENGINEER SALEM, OREGON

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

WATER WELL REPORT (Please type or print) SALEM, OREGON

YAMH

7053

5/4W-20dd

State Well No.

State Permit No.

G 5242

(1) OWNER:

Name AMITY SCHOOL DISTRICT Address AMITY OREGON

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [x] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 79 ft. Gage 4" Threaded [ ] Welded [x]

(6) PERFORATIONS:

Perforated? [x] Yes [ ] No. Size of perforator used TORCH Size of perforations 6 in. by 1/4 in. 120 perforations from 59 ft. to 79 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 6 ft. below land surface Date June 25-70 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [ ] No If yes, by whom? DRILLER Yield: 51 gal./min. with 70 ft. drawdown after 2 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Cement Depth of seal 3.0 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [ ] Yes [x] No Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [ ] No Size of gravel: 3/4 Gravel placed from 30 ft. to 78 ft.

(11) LOCATION OF WELL:

County YAMHILL Driller's well number 155 1/4 Section 20 T. 5S R. 4W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6 Depth drilled 84 ft. Depth of completed well 84 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: TOP SOIL (0-2), BROWN CLAY (2-23), BLUE CLAY (23-64), CEMENTED GRAVEL (64-74), BLUE SHALE (74-84).

Work started June 17 19 70 Completed June 24 19 70 Date well drilling machine moved off of well June 25 19 70

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Robert S. Shelburn Date June 29 19 70 (Drilling Machine Operator)

Drilling Machine Operator's License No. 337

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Blue Water Drilling Co (Person, firm or corporation) (Type or print) Address R1 Box 75 Dayton Ore [Signed] Robert S. Shelburn (Water Well Contractor) Contractor's License No. 477 Date June 29, 19 70