NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report

WATER WELL REPORTY A MH VE STATE OF OREGON (Please type or print)

within 30 days from the date of well completion.

AUG 3 1 1977 (Do not write above this line)

State Permit No. ...

WATER RESOURCES DEPT.			
(1) OWNER: O SALEM, OREGON	(10) LOCATION OF WELL: County **Warkill** Driller's well n	سے .	- 7 <i>R</i>
Address of 2 Bax 50	0		
me minimille Ode 97/28	34 34 Section 22 T. 55	R. 4/12	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	ion corner	
New Well ▶ Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):			
Rotary Driven Domestic M Industrial Domestic Dom	Depth at which water was first found		ft.
Cable	Static level 300 ft. below land Artesian pressure lbs. per squa		
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well	holory easiw	
	Depth drilled ft. Depth of completed well ft.		
	Formation: Describe color, texture, grain size		·
TDiam. from ft. to ft. Gage	and show thickness and nature of each stratu with at least one entry for each change of forms	ım and aqu	lifer penetrated.
(6) PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	ncipal water	r-bearing strata.
Type of perforator used	MATERIAL	From	To SWL
Size of perforations in. by in.	Top Soil	0	2_
perforations from ft. to ft.	Shell		20
perforations from ft. to ft.	BROCKER BASAIT		30
perforations from ft. to ft.	STIGLE BLUE	30 5	80 250
(7) SCREENS: Well screen installed? ☐ Yes X No Manufacturer's Name Model No. Type Model No. Diam. Slot size Set from ft. to ft. ft. Orawdown is amount water level is lowered below static level			
Land			
Was a plamp-test made? No If yes, by whom? De iller		 	
ld: /S gal./min. with 250 ft. drawdown after 2 hrs.			
" " "			
" " "			
Bailer test gal./min. with ft. drawdown after hrs.			
rtesian flow g.p.m.			
Inperature of water Depth artesian flow encountered ft.	Work started 8-/3 19 7 Complete	ed 8-1	6 1977
(9) CONSTRUCTION;	Date well drilling machine moved off of well	8-16	1977
Well seal—Material used Coment group Well sealed from land surface to 10 ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks How was cement grout placed?	Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported best knowledge and belief. [Signed] (Drilling Machine Operator's License No.	direct s above are	supervision. e true to my
A STATE OF THE PARTY OF THE PAR	Water Well Contractor's Certification:		
7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	This well was drilled under my jurisd	iction and	this report is
Was a drive shoe used? 🗌 Yes 🗷 No Plugs Size: location ft.	true to the best of my knowledge and bel	ief.	/ n
Did any strata contain unusable water? Yes No	Name (Person, firm or corporation)	ZYDE	or print)
Type of water? depth of strata	Address RI Box 75 Pay	Tax C	-de
Method of sealing strata off	Robert St. D.	,	
Was well gravel packed? [Yes X No Size of gravel:	[Signed] Of 5 Cert Substitute (Water Well Control	actor)	
Gravel placed from ft. to ft.	Contractor's License No. 417. Date	Led :	29 1977