WATER WELL REPORT STATE OF OREGON

Permit No.	
Λ	
Pan	d. 1700
Nec	maulm

WATER WELL REPORT YAMH STATE OF OREGON 7369 WA	RECEIVED State Well No. 55/500-25 NOV 1 2 1982 STER RESOURCES DEPT. Recondition	
(1) OWNER:	(10) LOCATION OF WELL:	
Name City Of Amity	County Yamhill Driller's well number	
Address Amity Or.	NE 4 NE 4 Section 25 5 5S R. 5W	W.M.
City State	Tax Lot # Lot Blk Subdivision	
(2) TYPE OF WORK (check):	Address at well location:	
New Well □ Deepening □ Reconditioning ♣ Abandon □ If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	<u>ft.</u> .
	Static level 20 ft. below land surface. Date 11	<u>-3-82</u>
Rotary Mud Dug Irrigation Test Well Other	Artesian pressure Ibs. per square inch. Date	
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below casing .10	
(5) CASING INSTALLED: Steel Plastic Previously installed Welded Welded Welded Previously installed Previously installed Previously installed Plastic Plastic	Depth drilled ft. Depth of completed well 10 Formation: Describe color, texture, grain size and structure of materials; a thickness and nature of each stratum and aquifer penetrated, with at least o for each change of formation. Report each change in position of Static Wat and indicate principal water-bearing strata.	and show one entry
LINER INSTALLED:	MATERIAL , From To	SWL
	Hard bluish gray shale 93 104	
(6) PERFORATIONS: Perforated? Yes No	Cleaned well out from 87 Ft. to 93 ft. le	evel.
Type of perforator used Previously	OTESTICA METT OUR TERM OF THE	ELEVEN
Size of perforations in. by in.		iag
perforations from ft. to ft.	required.	
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? □ Yes ☒ No Manufacturer's Name Model No. Diam. Slot Size Set from ft. to ft. Diam. Slot Size Set from ft. to ft. Drawdown is amount water level is lowered		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom? a: gal/min. with ft. drawdown after hrs.		
		·
Air test 50 gal./min. with drill stem at 103 ft. 1 hrs. Bailer test 48 gal./min. with 25 ft. drawdown after 1 hrs.		* *
Artesian flow g.p.m.		*
perature of water 53 Depth artesian flow encountered ft.	Work started Oct. 29 19 82 Completed Nov. 3	1982
(9) CONSTRUCTION: Special standards: Yes No	Work started Oct. 29 19 82 Completed NOV. 2 Date well drilling machine moved off of well Nov. 3	1932
Well seal—Material usedPreviouslyinstalled	Drilling Machine Operator's Certification:	-
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materia	als used
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and	l belief.
Diameter of well bore below sealin.	[Signed] Datel 1-3-82	≩ 19
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No	
How was cement grout placed?		
	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is	tmio to
Was more installed? The Double ##	the best of my knowledge and belief.	arue to
Was pump installed?	Name Wilcox Drilling & Pump Co. (Type or pr	
Did any strata contain unusable water? Yes No	Address P. D. Box. 569, McMinn Viller Or 9712	
Type of Water? depth of strata		······
Method of sealing strata off	[Signed]	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No428 Date NOV 3	, 1 9 82
Gravel placed from ft. to ft.	<u> </u>	