

STATE OF OREGON

WATER WELL REPORT (as required by ORS 537.765)



,	. /	<i>f</i>	
25/	Wal	2/-	CA
<u> </u>	TWI	<u> 20</u>	Cq

(START CARD) #. 27714

	·				
(1) OWNER: Well-Number: 697 (9) LOCATION OF WELL by legal description:					
Name Bill & Margaret Edell	County Yamhill Latitude Longitude				
Address 1558 Plantation Way City El Cajon, CA State Zip 92019	Township 2-S	N or S, Range	1-W	E or W,	WM.
	Section 26	SE14	_SW 1/4		
(2) TYPE OF WORK:	Tax Lot500_	_ Lot Block	kSubc	livision	_
New Well Deepen Recondition Abandon	Street Address of W	ell (or nearest address) _			<u>.</u> .
(3) DRILL METHOD					
XXRotary Air ☐ Rotary Mud ☐ Cable	(10) STATIC W				
Other	60 ft. below land surface. Date6/6/91				
(4) PROPOSED USE:	Artesian pressure	lb. per squ	are inch. Date		
☑ Domestic ☐ Community ☐ Industrial ☐ Irrigation ☐ Thermal ☐ Injection ☐ Other	(11) WATER B	EARING ZONE	ES:	-	-
	Depth at which water was	first found 60'			
(5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well 160 ft.					
Yes No	60'	6 0'	2 GPM		SWL
Explosives used	160'	80	15 GPM		n/a 60'
HOLE SEAL Amount			15 0111		00
Diameter From To Material From To sacks or pounds					
10" 0' 38' Cement 0' 38' 10 Sacks	(12) WELL LO	G: 0 11		· .	
		Ground elevati		T	
6" 38'160'		Material	From	То	SWL
How was seal placed: Method	Top Soil	01	0	2	
Other	Yellow-Brown		2	10	
Backfill placed fromft. toft. Material	Yellow-Brown Soft Gray Sha		10	30	
Gravel placed fromft. toft. Size of gravel	MH Gray Shale		30 40	40	
(6) CASING/LINER:	Soft Gray Share		70	70	
Diameter From To Gauge Steel Plastic Welded Threaded	Hard Gray Sha			80	
Casing: 6" +2' 38' .025 XX	riara Gray Sila	re :	80	160	
Liner: 4" -2' 160' 160# □ 🛛 G1@ed □		No to to me a			
		KELFIN	/FU		
Final location of shoe(s)38 ¹					
(7) PERFORATIONS/SCREENS:		JUN 2 8 19	991		
XX Perforations Method <u>Grinding Wheel</u>					
Screens Type Material	19	ATER RESOURCE	ES DEPT		-
Slot Tele/pipe		SALEM, ORE	1 -		
From To size Number Diameter size Casing Liner					
100' 130' 4x10" 27					
150' 160' ½x10" 9		·			
	Date started 6/5/9	91 0	oleted6/6/	01	
				91	
(8) WELL TESTS: Minimum testing time is 1 hour	(unbonded) Water W				. •
Flowing	abandonment of this	work I performed or well is in compliance	n the construction e with Oregon w	on, altera vell cons	ition, or truction
·	standards. Materials us	sed and information re	eported above are	e true to	my best
Yield gal/min Drawdown Drill stem at Time	knowledge and belief.		MINICA	,	
17 GPM	Signad		WWC Nur		
	Signed		Date		
(bonded) Water Well Constructor Certification:					
Temperature of water 54° Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonmen work performed on this well during the construction dates reported above. al					lonment
was a water analysis done: Tes by whom work performed during this time is in compliance with Oregon we					on well
Did any strata contain water not suitable for intended use? Too little					dge and
□ Salty □ Muddy □ Odor □ Colored □ Other bellof. WWC Nur				, ,	
Depth of strata:	Signed	14 SKOWE	Date 6	27/0	7,